


Checklists for Native Missouri Amphibians and Reptiles for 2018



Richard E. Daniel
Brian S. Edmond
Jeffrey T. Briggler

Checklists for Native Missouri Amphibians and Reptiles for 2018

Richard E. Daniel
Division of Biological Sciences
University of Missouri-Columbia
114 LeFevre Hall
Columbia MO 65211
danielr@missouri.edu

Brian S. Edmond
Computer Services
Missouri State University
901 South National Ave
Springfield MO 65897
BrianEdmond@missouristate.edu

Jeffrey T. Briggler
Missouri Department of Conservation
PO Box 180
Jefferson City MO 65102
Jeff.Briggler@mdc.mo.gov

Recommended citation:

Daniel, R.E., B.S. Edmond, and J.T. Briggler. 2019.
Checklists of Native Missouri Amphibians and Reptiles for 2018.
<<https://atlas.moherp.org/pubs/checklist18.pdf>>

Updated: 17 February 2019 11:44
Copyright (C) 1997-2019. All rights reserved.

Table of Contents

County and Surrounding States Map	5
Introduction	6
State Checklist	6
County Checklists	8
Adair County	9
Andrew County	9
Atchison County	10
Audrain County	10
Barry County	11
Barton County	11
Bates County	12
Benton County	12
Bollinger County	13
Boone County	13
Buchanan County	14
Butler County	14
Caldwell County	15
Callaway County	15
Camden County	16
Cape Girardeau County	16
Carroll County	17
Carter County	17
Cass County	18
Cedar County	18
Chariton County	19
Christian County	19
Clark County	20
Clay County	20
Clinton County	21
Cole County	21
Cooper County	22
Crawford County	22
Dade County	23
Dallas County	23
Daviess County	24
De Kalb County	24
Dent County	25
Douglas County	25
Dunklin County	26

Franklin County 26

Gasconade County 27

Gentry County 27

Greene County 28

Grundy County 28

Harrison County 29

Henry County 29

Hickory County 30

Holt County 30

Howard County 31

Howell County 31

Iron County 32

Jackson County 32

Jasper County 33

Jefferson County 33

Johnson County 34

Knox County 34

Laclede County 35

Lafayette County 35

Lawrence County 36

Lewis County 36

Lincoln County 37

Linn County 37

Livingston County 38

Macon County 38

Madison County 39

Maries County 39

Marion County 40

McDonald County 40

Mercer County 41

Miller County 41

Mississippi County 42

Moniteau County 42

Monroe County 43

Montgomery County 43

Morgan County 44

New Madrid County 44

Newton County 45

Nodaway County 45

Oregon County 46

Osage County 46

Ozark County 47

Pemiscot County 47

Perry County 48

Pettis County 48

Phelps County 49

Pike County 49

Platte County 50

Polk County 50

Pulaski County 51

Putnam County 51

Ralls County 52

Randolph County 52

Ray County 53

Reynolds County 53

Ripley County 54

Saint Charles County 54

Saint Clair County 55

Saint Francois County 55

Saint Louis County 56

Sainte Genevieve County 56

Saline County 57

Schuyler County 57

Scotland County 58

Scott County 58

Shannon County 59

Shelby County 59

Stoddard County 60

Stone County 60

Sullivan County 61

Taney County 61

Texas County 62

Vernon County 62

Warren County 63

Washington County 63

Wayne County 64

Webster County 64

Worth County 65


Wright County 65

Literature Cited 66

Appendix A: Field Guide Reference 67

County and Surrounding States Map

Base map data provided by MSDIS (2009)



Introduction

Current biological surveys are essential tools for the effective conservation and management of natural resources. County checklists can serve as a valuable resource for researchers, conservation agents, wildlife managers, citizen scientists, and others. Annual updates of Missouri amphibian and reptile county distribution records (*e.g.*, Daniel *et al.* 2018). have been provided since the publication of Johnson (2000). However, no comprehensive compilation of the county lists has been available for more than 15 years (Powell and Daniel 1997). Here, we attempt to provide updated county record information in a compact and user-friendly format.

Prior to 2012, Johnson (1987, 2000) served as the authority for the annual updates. However, Johnson included a number of county distribution records that lacked corroborating voucher specimens or photographs. Beginning in 2012, the authority for the updates was changed to the Atlas of Missouri Amphibians and Reptiles (Daniel and Edmond 2019), which is based on museum or literature records, and the unsubstantiated localities were discarded.

The earliest herpetological museum specimens from Missouri predate the Civil War. Acquisition of additional records did not progress at a constant rate and reflected a disproportionate representation of records located near population centers or of target species. Furthermore, habitat alteration from anthropogenic activity has had a detrimental effect on biodiversity. Urban growth, suburban sprawl, road construction, and habitat fragmentation have altered some historical localities to the extent that they no longer support populations of these species. To incorporate potential changes, the checklists distinguish between historical (pre-1987) and recent records. The cut-off date chosen corresponds to the publication of Johnson (1987), Missouri's first field guide to include both amphibians and reptiles. Since that publication, Johnson and Powell (1988) initiated annual updates to the distribution records, which have continued to the present (Daniel *et al.* 2018).

Nomenclature is a dynamic field that changes, in theory, to reflect our current understanding of the relationship among taxa. Over the past two decades, numerous systematic studies have added greatly to our understanding of the evolutionary history and relationships among North American amphibians and reptiles, necessitating numerous nomenclatural changes, including many taxa native to Missouri. Recently, two of these studies identified previously unknown cryptic species found in Missouri (Lemmon *et al.* 2008, Crother *et al.* 2011). Crother *et al.* (2017) summarized the current scientific nomenclature and standardized common names for species found north of Mexico, which is followed in the checklists. While these new combinations may not be universally accepted, they do reflect the nomenclature sanctioned by the Herpetologists League (HL), Society for the Study of Amphibians and Reptiles (SSAR), American Society of Ichthyologists and Herpetologists (ASIH), and Partners in Amphibian and Reptile Conservation (PARC). A comparison of the updated nomenclature for taxa in Missouri is listed in Appendix A and discussed in detail at the project's species history page (<https://atlas.moherp.org/species/history/>).

Readers should refer to the *Atlas* (Daniel and Edmond 2019) for record sources, acknowledgements, and a complete list of literature citations. Additional project details can be found at <https://atlas.moherp.org/project/> (Edmond and Daniel 2019). Individual county checklists can be downloaded from <https://atlas.moherp.org/countyList/>. Readers wishing to contribute new or updated county records or correct errors are requested to contact the senior author.

State Checklist

Caudata (Salamanders)

<i>Siren intermedia</i>	Western Lesser Siren
<i>Cryptobranchus alleganiensis</i>	Hellbender
<i>Ambystoma annulatum</i>	Ringed Salamander
<i>Ambystoma maculatum</i>	Spotted Salamander
<i>Ambystoma opacum</i>	Marbled Salamander
<i>Ambystoma talpoideum</i>	Mole Salamander
<i>Ambystoma texanum</i>	Small-mouthed Salamander
<i>Ambystoma tigrinum</i>	Eastern Tiger Salamander
<i>Notophthalmus viridescens</i>	Central Newt
<i>Necturus maculosus</i>	Mudpuppy
<i>Amphiuma tridactylum</i>	Three-toed Amphiuma
<i>Eurycea longicauda</i>	Long-tailed Salamander
<i>Eurycea lucifuga</i>	Cave Salamander
<i>Eurycea spelaea</i>	Grotto Salamander
<i>Eurycea tynerensis</i>	Oklahoma Salamander
<i>Hemidactylium scutatum</i>	Four-toed Salamander
<i>Plethodon albagula</i>	Western Slimy Salamander
<i>Plethodon angusticlavius</i>	Ozark Zigzag Salamander
<i>Plethodon serratus</i>	Southern Red-backed Salamander

Anura (Frogs)

<i>Scaphiopus holbrookii</i>	Eastern Spadefoot
<i>Spea bombifrons</i>	Plains Spadefoot
<i>Anaxyrus americanus</i>	American Toad
<i>Anaxyrus cognatus</i>	Great Plains Toad
<i>Anaxyrus fowleri</i>	Fowler's Toad
<i>Anaxyrus woodhousii</i>	Woodhouse's Toad
<i>Acris blanchardi</i>	Blanchard's Cricket Frog
<i>Hyla chrysoscelis</i>	Cope's Gray Treefrog
<i>Hyla cinerea</i>	Green Treefrog
<i>Hyla versicolor</i>	Gray Treefrog
<i>Pseudacris crucifer</i>	Spring Peeper
<i>Pseudacris feriarum</i>	Upland Chorus Frog
<i>Pseudacris fouquettei</i>	Cajun Chorus Frog
<i>Pseudacris illinoensis</i>	Illinois Chorus Frog
<i>Pseudacris maculata</i>	Boreal Chorus Frog
<i>Lithobates areolatus</i>	Northern Crawfish Frog
<i>Lithobates blairi</i>	Plains Leopard Frog
<i>Lithobates catesbeianus</i>	American Bullfrog
<i>Lithobates clamitans</i>	Green Frog
<i>Lithobates palustris</i>	Pickerel Frog
<i>Lithobates pipiens</i>	Northern Leopard Frog
<i>Lithobates sphenoccephalus</i>	Southern Leopard Frog
<i>Lithobates sylvaticus</i>	Wood Frog
<i>Gastrophryne carolinensis</i>	Eastern Narrow-mouthed Toad
<i>Gastrophryne olivacea</i>	Western Narrow-mouthed Toad

Lacertilia (Lizards)

<i>Crotaphytus collaris</i>	Eastern Collared Lizard
<i>Phrynosoma cornutum</i>	Texas Horned Lizard
<i>Sceloporus consobrinus</i>	Prairie Lizard
<i>Aspidoscelis sexlineata</i>	Six-lined Racerunner
<i>Plestiodon anthracinus</i>	Southern Coal Skink
<i>Plestiodon fasciatus</i>	Common Five-lined Skink
<i>Plestiodon laticeps</i>	Broad-headed Skink
<i>Plestiodon obsoletus</i>	Great Plains Skink
<i>Plestiodon septentrionalis</i>	Prairie Skink
<i>Scincella lateralis</i>	Little Brown Skink
<i>Ophisaurus attenuatus</i>	Western Slender Glass Lizard

Serpentes (Snakes)

<i>Carphophis vermis</i>	Western Wormsnake
<i>Cemophora coccinea</i>	Northern Scarletsnake
<i>Clonophis kirtlandii</i>	Kirtland's Snake
<i>Coluber constrictor</i>	North American Racer
<i>Coluber flagellum</i>	Eastern Coachwhip
<i>Diadophis punctatus</i>	Ring-necked Snake
<i>Farancia abacura</i>	Western Mudsnake
<i>Haldea striatula</i>	Rough Earthsnake
<i>Heterodon gloydi</i>	Dusty Hog-nosed Snake
<i>Heterodon nasicus</i>	Plains Hog-nosed Snake
<i>Heterodon platirhinus</i>	Eastern Hog-nosed Snake
<i>Lampropeltis calligaster</i>	Prairie Kingsnake
<i>Lampropeltis holbrooki</i>	Speckled Kingsnake

<i>Lampropeltis nigra</i>	Eastern Black Kingsnake
<i>Lampropeltis triangulum</i>	Eastern Milksnake
<i>Nerodia cyclopion</i>	Mississippi Green Watersnake
<i>Nerodia erythrogaster</i>	Plain-bellied Watersnake
<i>Nerodia fasciata</i>	Broad-banded Watersnake
<i>Nerodia rhombifer</i>	Diamond-backed Watersnake
<i>Nerodia sipedon</i>	Common Watersnake
<i>Opheodrys aestivus</i>	Northern Rough Greensnake
<i>Opheodrys vernalis</i>	Smooth Greensnake
<i>Pantherophis emoryi</i>	Great Plains Ratsnake
<i>Pantherophis obsoletus</i>	Western Ratsnake
<i>Pantherophis ramspotti</i>	Western Foxsnake
<i>Pantherophis vulpinus</i>	Eastern Foxsnake
<i>Pituophis catenifer</i>	Bullsnake
<i>Regina grahamii</i>	Graham's Crawfish Snake
<i>Sonora semiannulata</i>	Variable Groundsnake
<i>Storeria dekayi</i>	DeKay's Brownsnake
<i>Storeria occipitomaculata</i>	Northern Red-bellied Snake
<i>Tantilla gracilis</i>	Flat-headed Snake
<i>Thamnophis proximus</i>	Orange-striped Ribbonsnake
<i>Thamnophis radix</i>	Plains Gartersnake
<i>Thamnophis sirtalis</i>	Common Gartersnake
<i>Tropidoclonion lineatum</i>	Lined Snake
<i>Virginia valeriae</i>	Western Smooth Earthsnake
<i>Agkistrodon contortrix</i>	Copperhead
<i>Agkistrodon piscivorus</i>	Western Cottonmouth
<i>Crotalus horridus</i>	Timber Rattlesnake
<i>Sistrurus catenatus</i>	Eastern Massasauga
<i>Sistrurus miliarius</i>	Western Pygmy Rattlesnake
<i>Sistrurus tergeminus</i>	Prairie Massasauga

Testudines (Turtles)

<i>Chelydra serpentina</i>	Snapping Turtle
<i>Macrochelys temminckii</i>	Alligator Snapping Turtle
<i>Kinosternon flavescens</i>	Yellow Mud Turtle
<i>Kinosternon subrubrum</i>	Mississippi Mud Turtle
<i>Sternotherus odoratus</i>	Eastern Musk Turtle
<i>Chrysemys dorsalis</i>	Southern Painted Turtle
<i>Chrysemys picta</i>	Western Painted Turtle
<i>Deirochelys reticularia</i>	Western Chicken Turtle
<i>Emydoidea blandingii</i>	Blanding's Turtle
<i>Graptemys geographica</i>	Northern Map Turtle
<i>Graptemys ouachitensis</i>	Ouachita Map Turtle
<i>Graptemys pseudogeographica</i>	False Map Turtle
<i>Pseudemys concinna</i>	River Cooter
<i>Terrapene carolina</i>	Three-toed Box Turtle
<i>Terrapene ornata</i>	Ornate Box Turtle
<i>Trachemys scripta</i>	Red-eared Slider
<i>Apalone mutica</i>	Midland Smooth Softshell
<i>Apalone spinifera</i>	Eastern Spiny Softshell

County Checklists

County checklists start on the next page.

Adair County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X <i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
X <i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X <i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X <i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Andrew County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/ <i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/ <i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/ <i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/ <i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>	/	<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/ <i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/ <i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>	/	<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
X <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Atchison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>	/	<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>		<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>	/	<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>	/	<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Audrain County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>	X	<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>	/	<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Barry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
X	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Barton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Bates County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
		<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
		<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/		<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
		<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/		<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
		<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
		<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
/		<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
/		<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X		<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
		<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
		<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
		<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
		<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
		<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X		<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Benton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>
		<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X		<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X		<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X		<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X		<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
		<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
		<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X		<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
X		<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/		<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
		<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
X		<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
		<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
		<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X		<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/		<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Bollinger County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	/	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Farancia abacura</i>	/	<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Heterodon gloydi</i>		<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Boone County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Buchanan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermiformis</i>		<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>	/	<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Butler County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermiformis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>	/	<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
/	<i>Farancia abacura</i>	X	<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Caldwell County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X <i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/ <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
X <i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X <i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
/ <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Callaway County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X <i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X <i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X <i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X <i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
/ <i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
X <i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X <i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X <i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X <i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X <i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X <i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X <i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Camden County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
/	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinus</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Cape Girardeau County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinus</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Carroll County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Carter County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Cass County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	/	<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>	/	<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Cedar County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>	X	<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>		<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Chariton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>	X	<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Christian County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>	/	<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Clark County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X <i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X <i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
X <i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>	/	<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X <i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X <i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
/ <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
X <i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>	/	<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Clay County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>	/	<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/ <i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
/ <i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
/ <i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/ <i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/ <i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Clinton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/ <i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/ <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/ <i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
/ <i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X <i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
/ <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Cole County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X <i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/ <i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X <i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/ <i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
/ <i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X <i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X <i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X <i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X <i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X <i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Cooper County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Crawford County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Dade County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Dallas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Daviess County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>	/	<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

De Kalb County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>		<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>	X	<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Dent County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Douglas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Dunklin County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	X	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>		<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
/	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>	/	<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>	/	<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>	/	<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Franklin County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Gasconade County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinus</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Gentry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinus</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Greene County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Grundy County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Harrison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
		<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	X	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X		<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	X	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
X	X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	X	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
		<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
X	X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
		<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/		<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
		<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
		<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	X	<i>Heterodon gloydi</i>		<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
		<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Henry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	X	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	X	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/		<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	X	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
		<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X		<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/		<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
X	/	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
		<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	/	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	/	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	/	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
		<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
/		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Hickory County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysofelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Holt County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysofelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	X	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>	/	<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
/	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>	X	<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	X	<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Howard County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermiformis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Howell County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermiformis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Iron County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermiformis</i>	/	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Jackson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermiformis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>	/	<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>	/	<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Jasper County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysofelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Jefferson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysofelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Johnson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermiformis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>	/	<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Knox County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermiformis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Laclede County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinus</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Lafayette County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinus</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Lawrence County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X <i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X <i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/ <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X <i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/ <i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
X <i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X <i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/ <i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Lewis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X <i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X <i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>	X	<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
X <i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>	/	<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/ <i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/ <i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
/ <i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/ <i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Lincoln County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>	X	<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Linn County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>	/	<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Livingston County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Macon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Madison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Maries County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
/	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Marion County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>		<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

McDonald County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>	/	<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>	/	<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>	/	<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Mercer County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/ <i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/ <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>	X	<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/ <i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
/ <i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Miller County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X <i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/ <i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/ <i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X <i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X <i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	/	<i>Tropidoclonion lineatum</i>
X <i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
X <i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X <i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
/ <i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X <i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
/ <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Mississippi County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>	X	<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
X	<i>Farancia abacura</i>	/	<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Moniteau County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Monroe County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Montgomery County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>	/	<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Morgan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

New Madrid County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	/	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>	/	<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>		<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Newton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Nodaway County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>	X	<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Oregon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Osage County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Ozark County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>	/	<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Pemiscot County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>		<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>	/	<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
/	<i>Farancia abacura</i>	/	<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>		<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Perry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	X	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Pettis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Phelps County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/		<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X		<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X		<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X		<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/		<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/		<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X		<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X		<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
/		<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
		<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X		<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/		<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X		<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
		<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
/		<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
		<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
		<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X		<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Pike County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
		<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X		<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X		<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/		<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X		<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
		<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
		<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X		<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>	X	<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
		<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X		<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
		<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
		<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
		<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
		<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X		<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Platte County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysofelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	/	<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>	/	<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Polk County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysofelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Pulaski County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>		<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Putnam County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Ralls County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Randolph County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>	/	<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>	/	<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Ray County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	/	<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Reynolds County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>	X	<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Ripley County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Farancia abacura</i>	/	<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Saint Charles County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>	X	<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>	/	<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>	/	<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	X	<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Saint Clair County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	X	<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>	/	<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Saint Francois County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Saint Louis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysofelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>	/	<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrookii</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	/	<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>	X	<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	X	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	/	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>	/	<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Sainte Genevieve County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysofelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrookii</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Saline County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>	/	<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Schuyler County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>		<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Scotland County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
		<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/		<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
		<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	X	<i>Carphophis vermis</i>		<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
		<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>		<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
		<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
		<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
		<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	/	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
		<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
		<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	/	<i>Heterodon gloydi</i>		<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
		<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
		<i>Heterodon platirhinus</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Scott County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X		<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	X	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	X	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	X	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	/	<i>Carphophis vermis</i>		<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
X		<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	X	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	/	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
		<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
	/	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
		<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	X	<i>Heterodon gloydi</i>		<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	X	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/		<i>Heterodon platirhinus</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X		<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Shannon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Shelby County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>		<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>	X	<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Stoddard County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>	X	<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>		<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	/	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>	X	<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Farancia abacura</i>	X	<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Stone County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>	/	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>	/	<i>Sonora semiannulata</i>	/	<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Sullivan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Taney County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>	X	<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Texas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Vernon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	/	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Warren County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>		<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>	/	<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	X	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Washington County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	/	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	/	<i>Agkistrodon contortrix</i>
/	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
X	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Wayne County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>		<i>Lampropeltis calligaster</i>	X	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>	X	<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Farancia abacura</i>	X	<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>	X	<i>Crotalus horridus</i>
/	<i>Haldea striatula</i>	X	<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	/	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Webster County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	/	<i>Virginia valeriae</i>
/	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
	<i>Heterodon platirhinos</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Worth County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>		<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	/	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>		<i>Virginia valeriae</i>
	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>		<i>Pituophis catenifer</i>		<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>		<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	X	<i>Nerodia sipedon</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>		<i>Opheodrys aestivus</i>		<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
X	<i>Heterodon platirhinus</i>		<i>Opheodrys vernalis</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Wright County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Carphophis vermis</i>	X	<i>Lampropeltis calligaster</i>	/	<i>Pantherophis emoryi</i>		<i>Thamnophis radix</i>
	<i>Cemophora coccinea</i>	X	<i>Lampropeltis holbrooki</i>	X	<i>Pantherophis obsoletus</i>	X	<i>Thamnophis sirtalis</i>
	<i>Clonophis kirtlandii</i>		<i>Lampropeltis nigra</i>		<i>Pantherophis ramspotti</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Lampropeltis triangulum</i>		<i>Pantherophis vulpinus</i>	X	<i>Virginia valeriae</i>
X	<i>Coluber flagellum</i>		<i>Nerodia cyclopion</i>	/	<i>Pituophis catenifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Diadophis punctatus</i>		<i>Nerodia erythrogaster</i>		<i>Regina grahamii</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Farancia abacura</i>		<i>Nerodia fasciata</i>		<i>Sonora semiannulata</i>		<i>Crotalus horridus</i>
	<i>Haldea striatula</i>		<i>Nerodia rhombifer</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Heterodon gloydi</i>	/	<i>Nerodia sipedon</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Heterodon nasicus</i>	X	<i>Opheodrys aestivus</i>	/	<i>Tantilla gracilis</i>		<i>Sistrurus tergeminus</i>
/	<i>Heterodon platirhinus</i>		<i>Opheodrys vernalis</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Literature Cited

- Crother, B.I. (chair, Committee on Standard English and Scientific Names) 2017. Scientific and Standard English Names of Amphibians and Reptiles of North America, North of Mexico, with Comments Regarding Confidence in our Understanding, 8th ed. *SSAR Herpetological Circular* (43): 102p.
- Crother, B.I., M.E. White, J.M. Savage, M.E. Eckstut, M.R. Graham, and D.W. Gardner. 2011. Reevaluation of the Status of the Foxsnakes *Pantherophis gloydi* Conant and *P. vulpinus* Baird and Girard (Lepidosauria). *ISRN Zoology* 2011 (Article ID 436049):15.
- Daniel, R.E., and B.S. Edmond. 2019. *Atlas of Missouri Amphibians and Reptiles for 2018*. <<https://atlas.moherp.org/pubs/atlas18.pdf>>
- Daniel, R.E., B.S. Edmond, and J.T. Briggler. 2018. New herpetological distribution records for Missouri in 2017. *Missouri Herpetological Association Newsletter* 31: 11-13.
- Edmond, B.S., and R.E. Daniel. 2014. A New Kingsnake for Missouri and Some Comments on the Biogeography of Southeast Missouri. *Missouri Herpetological Association Newsletter* 27: 18-21.
- Edmond, B.S., and R.E. Daniel. 2019. *Missouri Herpetological Atlas Project*. <<https://atlas.moherp.org/>> Accessed 17 February 2019.
- Johnson, T.R. 1987. *The Amphibians and Reptiles of Missouri*. Missouri Department of Conservation, Jefferson City, Missouri. 368p.
- Johnson, T.R. 2000. *The Amphibians and Reptiles of Missouri*. (2nd ed.) Missouri Department of Conservation, Jefferson City, Missouri. 400p.
- Johnson, T.R., and R. Powell. 1988. New records of amphibians and reptiles in Missouri for 1988. *Missouri Herpetological Association Newsletter* 1: 4-8.
- Kubatko, Laura S., Gibbs, H. Lisle, and Erik W. Bloomquist. 2011. Inferring Species-Level Phylogenies and Taxonomic Distinctiveness Using Multilocus Data in *Sistrurus* Rattlesnakes. *Systematic Biology* 60(4): 393-409.
- Lemmon, E.M., A.R. Lemmon, J.T. Collins and D.C. Cannatella. 2008. A New North American Chorus Frog Species (*Pseudacris*: Hylidae: Amphibia) from the South-Central United States. *Zootaxa*. 1675: 1-30.
- Missouri Spatial Data Information Service (MSDIS). 2009. *Base County and Boundary Map* <<https://msdis.missouri.edu/>> Accessed 1 December 2009.
- Powell, R. and R. Daniel. 1997. County distribution records of amphibians and reptiles in Missouri. *Missouri Herpetological Association Newsletter* 10: 12-69.

Appendix A: Field Guide Reference

The tables below show comparisons of scientific and common names of Missouri amphibians and reptiles for this project compared to two different field guides: Johnson's *The Amphibians and Reptiles of Missouri* (2000) and Conant and Collins' *A Field Guide to Reptiles and Amphibians: Eastern and Central North America* (1998). Currently recognized names for this project are from Crother *et al.* (2012). The chosen common name represents the most restrictive name available and refers to the subspecies found within the state of Missouri. If two or more subspecies are recognized in the state, the species common name was used. Names that have changed among the three sources are marked with an asterisk (*). Refer to the *Atlas* document or <http://atlas.moherp.org/species/history/> for a discussion about scientific and common name changes.

Caudata (Salamanders)

Common Name	Scientific Name	Johnson (2000)	Conant and Collins (1998)
Western Lesser Siren	<i>Siren intermedia</i>	<i>Siren intermedia</i>	<i>Siren intermedia</i>
Hellbender	<i>Cryptobranchus alleganiensis</i>	<i>Cryptobranchus alleganiensis</i>	<i>Cryptobranchus alleganiensis</i>
Ringed Salamander	<i>Ambystoma annulatum</i>	<i>Ambystoma annulatum</i>	<i>Ambystoma annulatum</i>
Spotted Salamander	<i>Ambystoma maculatum</i>	<i>Ambystoma maculatum</i>	<i>Ambystoma maculatum</i>
Marbled Salamander	<i>Ambystoma opacum</i>	<i>Ambystoma opacum</i>	<i>Ambystoma opacum</i>
Mole Salamander	<i>Ambystoma talpoideum</i>	<i>Ambystoma talpoideum</i>	<i>Ambystoma talpoideum</i>
Small-mouthed Salamander	<i>Ambystoma texanum</i>	<i>Ambystoma texanum</i>	<i>Ambystoma texanum</i>
Eastern Tiger Salamander	<i>Ambystoma tigrinum</i>	<i>Ambystoma tigrinum</i>	<i>Ambystoma tigrinum</i>
Central Newt	<i>Notophthalmus viridescens</i>	<i>Notophthalmus viridescens</i>	<i>Notophthalmus viridescens</i>
* Red River Mudpuppy	<i>Necturus louisianensis</i>	<i>Necturus maculosus louisianensis</i>	<i>Necturus maculosus louisianensis</i>
Mudpuppy	<i>Necturus maculosus</i>	<i>Necturus maculosus</i>	<i>Necturus maculosus</i>
Three-toed Amphiuma	<i>Amphiuma tridactylum</i>	<i>Amphiuma tridactylum</i>	<i>Amphiuma tridactylum</i>
Long-tailed Salamander	<i>Eurycea longicauda</i>	<i>Eurycea longicauda</i>	<i>Eurycea longicauda</i>
Cave Salamander	<i>Eurycea lucifuga</i>	<i>Eurycea lucifuga</i>	<i>Eurycea lucifuga</i>
* Grotto Salamander	<i>Eurycea spelaea</i>	<i>Typhlotriton spelaeus</i>	<i>Typhlotriton spelaeus</i>
* Oklahoma Salamander	<i>Eurycea tynnerensis</i>	<i>Eurycea multiplicata griseogaster</i>	<i>Eurycea tynnerensis, Eurycea multiplicata griseogaster</i>
Four-toed Salamander	<i>Hemidactylium scutatum</i>	<i>Hemidactylium scutatum</i>	<i>Hemidactylium scutatum</i>
Western Slimy Salamander	<i>Plethodon albagula</i>	<i>Plethodon albagula</i>	<i>Plethodon albagula</i>
* Ozark Zigzag Salamander	<i>Plethodon angusticlavius</i>	<i>Plethodon angusticlavius</i>	<i>Plethodon dorsalis angusticlavius</i>
Southern Red-backed Salamander	<i>Plethodon serratus</i>	<i>Plethodon serratus</i>	<i>Plethodon serratus</i>

Anura (Frogs)

Common Name	Scientific Name	Johnson (2000)	Conant and Collins (1998)
Eastern Spadefoot	<i>Scaphiopus holbrookii</i>	<i>Scaphiopus holbrookii</i>	<i>Scaphiopus holbrookii</i>
* Plains Spadefoot	<i>Spea bombifrons</i>	<i>Spea bombifrons</i>	<i>Scaphiopus bombifrons</i>
* American Toad	<i>Anaxyrus americanus</i>	<i>Bufo americanus</i>	<i>Bufo americanus</i>
* Great Plains Toad	<i>Anaxyrus cognatus</i>	<i>Bufo cognatus</i>	<i>Bufo cognatus</i>
* Fowler's Toad	<i>Anaxyrus fowleri</i>	<i>Bufo fowleri</i>	<i>Bufo woodhousii fowleri</i>
* Woodhouse's Toad	<i>Anaxyrus woodhousii</i>	<i>Bufo woodhousii</i>	<i>Bufo woodhousii woodhousii</i>
* Blanchard's Cricket Frog	<i>Acris blanchardi</i>	<i>Acris crepitans blanchardi</i>	<i>Acris crepitans blanchardi</i>
Cope's Gray Treefrog	<i>Hyla chrysoscelis</i>	<i>Hyla chrysoscelis</i>	<i>Hyla chrysoscelis</i>
Green Treefrog	<i>Hyla cinerea</i>	<i>Hyla cinerea</i>	<i>Hyla cinerea</i>
Gray Treefrog	<i>Hyla versicolor</i>	<i>Hyla versicolor</i>	<i>Hyla versicolor</i>
Spring Peeper	<i>Pseudacris crucifer</i>	<i>Pseudacris crucifer</i>	<i>Pseudacris crucifer</i>
* Upland Chorus Frog	<i>Pseudacris feriarum</i>	<i>Pseudacris feriarum</i>	<i>Pseudacris triseriata feriarum</i>
* Cajun Chorus Frog	<i>Pseudacris fouquettei</i> ¹		
* Illinois Chorus Frog	<i>Pseudacris illinoensis</i>	<i>Pseudacris streckeri illinoensis</i>	<i>Pseudacris streckeri illinoensis</i>
* Boreal Chorus Frog	<i>Pseudacris maculata</i>	<i>Pseudacris triseriata triseriata</i>	<i>Pseudacris triseriata triseriata</i>
* Northern Crawfish Frog	<i>Lithobates areolatus</i>	<i>Rana areolata</i>	<i>Rana areolata</i>
* Plains Leopard Frog	<i>Lithobates blairi</i>	<i>Rana blairi</i>	<i>Rana blairi</i>
* American Bullfrog	<i>Lithobates catesbeianus</i>	<i>Rana catesbeiana</i>	<i>Rana catesbeiana</i>
* Green Frog	<i>Lithobates clamitans</i>	<i>Rana clamitans</i>	<i>Rana clamitans</i>
* Pickerel Frog	<i>Lithobates palustris</i>	<i>Rana palustris</i>	<i>Rana palustris</i>
* Northern Leopard Frog	<i>Lithobates pipiens</i>	<i>Rana pipiens</i>	<i>Rana pipiens</i>
* Southern Leopard Frog	<i>Lithobates sphenoccephalus</i>	<i>Rana sphenoccephala</i>	<i>Rana sphenoccephala</i>
* Wood Frog	<i>Lithobates sylvaticus</i>	<i>Rana sylvatica</i>	<i>Rana sylvatica</i>

Eastern Narrow-mouthed Toad	<i>Gastrophryne carolinensis</i>	<i>Gastrophryne carolinensis</i>	<i>Gastrophryne carolinensis</i>
Western Narrow-mouthed Toad	<i>Gastrophryne olivacea</i>	<i>Gastrophryne olivacea</i>	<i>Gastrophryne olivacea</i>

Lacertilia (Lizards)

Common Name	Scientific Name	Johnson (2000)	Conant and Collins (1998)
Eastern Collared Lizard	<i>Crotaphytus collaris</i>	<i>Crotaphytus collaris</i>	<i>Crotaphytus collaris</i>
Texas Horned Lizard	<i>Phrynosoma cornutum</i>	<i>Phrynosoma cornutum</i>	<i>Phrynosoma cornutum</i>
* Prairie Lizard	<i>Sceloporus consobrinus</i>	<i>Sceloporus undulatus</i>	<i>Sceloporus undulatus</i>
* Six-lined Racerunner	<i>Aspidoscelis sexlineata</i>	<i>Cnemidophorus sexlineatus</i>	<i>Cnemidophorus sexlineatus</i>
* Southern Coal Skink	<i>Plestiodon anthracinus</i>	<i>Eumeces anthracinus</i>	<i>Eumeces anthracinus</i>
* Common Five-lined Skink	<i>Plestiodon fasciatus</i>	<i>Eumeces fasciatus</i>	<i>Eumeces fasciatus</i>
* Broad-headed Skink	<i>Plestiodon laticeps</i>	<i>Eumeces laticeps</i>	<i>Eumeces laticeps</i>
* Great Plains Skink	<i>Plestiodon obsoletus</i>	<i>Eumeces obsoletus</i>	<i>Eumeces obsoletus</i>
* Prairie Skink	<i>Plestiodon septentrionalis</i>	<i>Eumeces septentrionalis</i>	<i>Eumeces septentrionalis</i>
Little Brown Skink	<i>Scincella lateralis</i>	<i>Scincella lateralis</i>	<i>Scincella lateralis</i>
Western Slender Glass Lizard	<i>Ophisaurus attenuatus</i>	<i>Ophisaurus attenuatus</i>	<i>Ophisaurus attenuatus</i>
Mediterranean Gecko	<i>Hemidactylus turcicus</i> ⁶		<i>Hemidactylus turcicus</i>
* Italian Wall Lizard	<i>Podarcis siculus</i> ⁶		<i>Podarcis sicula</i>

Serpentes (Snakes)

Common Name	Scientific Name	Johnson (2000)	Conant and Collins (1998)
Western Wormsnake	<i>Carphophis vermis</i>	<i>Carphophis vermis</i>	<i>Carphophis vermis</i>
Northern Scarletsnake	<i>Cemophora coccinea</i>	<i>Cemophora coccinea</i>	<i>Cemophora coccinea</i>
Kirtland's Snake	<i>Clonophis kirtlandii</i> ²		<i>Clonophis kirtlandii</i>
North American Racer	<i>Coluber constrictor</i>	<i>Coluber constrictor</i>	<i>Coluber constrictor</i>
* Eastern Coachwhip	<i>Coluber flagellum</i>	<i>Masticophis flagellum</i>	<i>Masticophis flagellum</i>
Ring-necked Snake	<i>Diadophis punctatus</i>	<i>Diadophis punctatus</i>	<i>Diadophis punctatus</i>
Western Mudsnake	<i>Farancia abacura</i>	<i>Farancia abacura</i>	<i>Farancia abacura</i>
* Rough Earthsnake	<i>Haldea striatula</i>	<i>Virginia striatula</i>	<i>Virginia striatula</i>
* Dusty Hog-nosed Snake	<i>Heterodon gloydi</i> ²		<i>Heterodon nasicus gloydi</i>
* Plains Hog-nosed Snake	<i>Heterodon nasicus</i>		<i>Heterodon nasicus nasicus</i>
Eastern Hog-nosed Snake	<i>Heterodon platirhinos</i>	<i>Heterodon platirhinos</i>	<i>Heterodon platirhinos</i>
Prairie Kingsnake	<i>Lampropeltis calligaster</i>	<i>Lampropeltis calligaster</i>	<i>Lampropeltis calligaster</i>
* Speckled Kingsnake	<i>Lampropeltis holbrooki</i>	<i>Lampropeltis getula holbrooki</i>	<i>Lampropeltis getula holbrooki</i>
* Eastern Black Kingsnake	<i>Lampropeltis nigra</i> ⁵		<i>Lampropeltis getula nigra</i>
Eastern Milksnake	<i>Lampropeltis triangulum</i>	<i>Lampropeltis triangulum</i>	<i>Lampropeltis triangulum</i>
Mississippi Green Watersnake	<i>Nerodia cyclopion</i>	<i>Nerodia cyclopion</i>	<i>Nerodia cyclopion</i>
Plain-bellied Watersnake	<i>Nerodia erythrogaster</i>	<i>Nerodia erythrogaster</i>	<i>Nerodia erythrogaster</i>
Broad-banded Watersnake	<i>Nerodia fasciata</i>	<i>Nerodia fasciata</i>	<i>Nerodia fasciata</i>
Diamond-backed Watersnake	<i>Nerodia rhombifer</i>	<i>Nerodia rhombifer</i>	<i>Nerodia rhombifer</i>
Common Watersnake	<i>Nerodia sipedon</i>	<i>Nerodia sipedon</i>	<i>Nerodia sipedon</i>
Northern Rough Greensnake	<i>Opheodrys aestivus</i>	<i>Opheodrys aestivus</i>	<i>Opheodrys aestivus</i>
Smooth Greensnake	<i>Opheodrys vernalis</i> ²		<i>Opheodrys vernalis</i>
* Great Plains Ratsnake	<i>Pantherophis emoryi</i>	<i>Elaphe guttata emoryi</i>	<i>Elaphe guttata emoryi</i>
* Western Ratsnake	<i>Pantherophis obsoletus</i>	<i>Elaphe obsoleta</i>	<i>Elaphe obsoleta</i>
* Western Foxsnake	<i>Pantherophis ramspotti</i> ³		
* Eastern Foxsnake	<i>Pantherophis vulpinus</i>	<i>Elaphe vulpina</i>	<i>Elaphe vulpina</i>
* Bullsake	<i>Pituophis catenifer</i>	<i>Pituophis catenifer</i>	<i>Pituophis melanoleucus sayi</i>
Graham's Crawfish Snake	<i>Regina grahamii</i>	<i>Regina grahamii</i>	<i>Regina grahamii</i>
Variable Groundsnake	<i>Sonora semiannulata</i>	<i>Sonora semiannulata</i>	<i>Sonora semiannulata</i>
DeKay's Brownsnake	<i>Storeria dekayi</i>	<i>Storeria dekayi</i>	<i>Storeria dekayi</i>
Northern Red-bellied Snake	<i>Storeria occipitomaculata</i>	<i>Storeria occipitomaculata</i>	<i>Storeria occipitomaculata</i>
Flat-headed Snake	<i>Tantilla gracilis</i>	<i>Tantilla gracilis</i>	<i>Tantilla gracilis</i>
Orange-striped Ribbonsnake	<i>Thamnophis proximus</i>	<i>Thamnophis proximus</i>	<i>Thamnophis proximus</i>
Plains Gartersnake	<i>Thamnophis radix</i>	<i>Thamnophis radix</i>	<i>Thamnophis radix</i>
Common Gartersnake	<i>Thamnophis sirtalis</i>	<i>Thamnophis sirtalis</i>	<i>Thamnophis sirtalis</i>
Lined Snake	<i>Tropidoclonion lineatum</i>	<i>Tropidoclonion lineatum</i>	<i>Tropidoclonion lineatum</i>
Western Smooth Earthsnake	<i>Virginia valeriae</i>	<i>Virginia valeriae</i>	<i>Virginia valeriae</i>
Copperhead	<i>Agkistrodon contortrix</i>	<i>Agkistrodon contortrix</i>	<i>Agkistrodon contortrix</i>
Western Cottonmouth	<i>Agkistrodon piscivorus</i>	<i>Agkistrodon piscivorus</i>	<i>Agkistrodon piscivorus</i>

Timber Rattlesnake	<i>Crotalus horridus</i>	<i>Crotalus horridus</i>	<i>Crotalus horridus</i>
Eastern Massasauga	<i>Sistrurus catenatus</i>	<i>Sistrurus catenatus</i>	<i>Sistrurus catenatus</i>
Western Pygmy Rattlesnake	<i>Sistrurus miliarius</i>	<i>Sistrurus miliarius</i>	<i>Sistrurus miliarius</i>
* Prairie Massasauga	<i>Sistrurus tergeminus</i> ⁴	<i>Sistrurus catenatus</i>	<i>Sistrurus catenatus tergeminus</i>

Testudines (Turtles)

Common Name	Scientific Name	Johnson (2000)	Conant and Collins (1998)
Snapping Turtle	<i>Chelydra serpentina</i>	<i>Chelydra serpentina</i>	<i>Chelydra serpentina</i>
* Alligator Snapping Turtle	<i>Macrochelys temminckii</i>	<i>Macrochelys temminckii</i>	<i>Macrochelys temminckii</i>
Yellow Mud Turtle	<i>Kinosternon flavescens</i>	<i>Kinosternon flavescens</i>	<i>Kinosternon flavescens</i>
Mississippi Mud Turtle	<i>Kinosternon subrubrum</i>	<i>Kinosternon subrubrum</i>	<i>Kinosternon subrubrum</i>
Eastern Musk Turtle	<i>Sternotherus odoratus</i>	<i>Sternotherus odoratus</i>	<i>Sternotherus odoratus</i>
* Southern Painted Turtle	<i>Chrysemys dorsalis</i>	<i>Chrysemys picta dorsalis</i>	<i>Chrysemys picta dorsalis</i>
* Western Painted Turtle	<i>Chrysemys picta</i>	<i>Chrysemys picta belli</i>	<i>Chrysemys picta belli</i>
Western Chicken Turtle	<i>Deirochelys reticularia</i>	<i>Deirochelys reticularia</i>	<i>Deirochelys reticularia</i>
Blanding's Turtle	<i>Emydoidea blandingii</i>	<i>Emydoidea blandingii</i>	<i>Emydoidea blandingii</i>
Northern Map Turtle	<i>Graptemys geographica</i>	<i>Graptemys geographica</i>	<i>Graptemys geographica</i>
* Ouachita Map Turtle	<i>Graptemys ouachitensis</i>	<i>Graptemys ouachitensis</i>	<i>Graptemys pseudogeographica ouachitensis</i>
* False Map Turtle	<i>Graptemys pseudogeographica</i>	<i>Graptemys pseudogeographica</i>	<i>Graptemys pseudogeographica</i> , <i>Graptemys kohnii</i>
River Cooter	<i>Pseudemys concinna</i>	<i>Pseudemys concinna</i>	<i>Pseudemys concinna</i>
Three-toed Box Turtle	<i>Terrapene carolina</i>	<i>Terrapene carolina</i>	<i>Terrapene carolina</i>
Ornate Box Turtle	<i>Terrapene ornata</i>	<i>Terrapene ornata</i>	<i>Terrapene ornata</i>
Red-eared Slider	<i>Trachemys scripta</i>	<i>Trachemys scripta</i>	<i>Trachemys scripta</i>
Midland Smooth Softshell	<i>Apalone mutica</i>	<i>Apalone mutica</i>	<i>Apalone mutica</i>
Eastern Spiny Softshell	<i>Apalone spinifera</i>	<i>Apalone spinifera</i>	<i>Apalone spinifera</i>

¹ Lemmon *et al.* (2008) described this cryptic species of trilling chorus frog from the interior highlands based on genetic differentiation and call characteristics. This species was formerly assigned to *Pseudacris triseriata* or *P. feriarum*.

² Johnson (2000) did not recognize these species as part of the current state herpetofauna and included them only as species of possible occurrence. Since 2000, two of these species, *Clonophis kirtlandii* and *Heterodon gloydi* have been rediscovered in the state.

³ Crother *et al.* (2011) determined that fox snakes represented two distinct haplotypes separated by the Mississippi River and past glaciation events. They applied the name *Pantherophis ramspotti* to the western haplotype. Previously, all Missouri specimens were assigned to *P. vulpinus*.

⁴ Kubatko *et al.* (2011) determined that massasauga subspecies in Missouri represented two distinct species. Known extant populations were assigned to the species *Sistrurus tergeminus* while the populations in the eastern part of the state, likely extirpated, retained the name *Sistrurus catenatus*.

⁵ Pyron and Burbrink (2009) hypothesized the historical Mississippi River a phylogenetic boundary between speckled kingsnakes, previously known from Missouri, and black kingsnakes. Black kingsnakes were subsequently discovered, and confirmed with genetic analysis, in southeast Missouri (Edmond and Daniel 2014).

⁶ This species is *not* native to Missouri. Thus far, non-native reptiles in Missouri have only been found in urban areas and do not appear to constitute a threat to our native herpetofauna. This is not the case everywhere and non-native species that become invasive are considered by many biologists to be a major threat, second only to habitat loss, to our native species. Care should be taken to prevent the spread of this and all non-native species. Furthermore, it is illegal to release non-native species into the environment.