


Checklists of Native Missouri Amphibians and Reptiles for 2020



Richard E. Daniel
Brian S. Edmond
Jeffrey T. Briggler

Checklists of Native Missouri Amphibians and Reptiles for 2020

Richard E. Daniel
Division of Biological Sciences
University of Missouri-Columbia
114 LeFevre Hall
Columbia MO 65211
danielr@missouri.edu

Brian S. Edmond
Computer Services
Missouri State University
901 South National Ave
Springfield MO 65897
BrianEdmond@missouristate.edu

Jeffrey T. Briggler
Missouri Department of Conservation
PO Box 180
Jefferson City MO 65102
Jeff.Briggler@mdc.mo.gov

Recommended citation:

Daniel, R.E., B.S. Edmond, and J.T. Briggler. 2021.
Checklists of Native Missouri Amphibians and Reptiles for 2020.
<<https://atlas.moherp.org/pubs/checklist20.pdf>>

Updated: 08 April 2021 18:26
Copyright (C) 1997-2021. All rights reserved.

Table of Contents

County and Surrounding States Map	5
Introduction	6
State Checklist	6
County Checklists	8
Adair County	9
Andrew County	9
Atchison County	10
Audrain County	10
Barry County	11
Barton County	11
Bates County	12
Benton County	12
Bollinger County	13
Boone County	13
Buchanan County	14
Butler County	14
Caldwell County	15
Callaway County	15
Camden County	16
Cape Girardeau County	16
Carroll County	17
Carter County	17
Cass County	18
Cedar County	18
Chariton County	19
Christian County	19
Clark County	20
Clay County	20
Clinton County	21
Cole County	21
Cooper County	22
Crawford County	22
Dade County	23
Dallas County	23
Daviess County	24
De Kalb County	24
Dent County	25
Douglas County	25
Dunklin County	26

Franklin County 26

Gasconade County 27

Gentry County 27

Greene County 28

Grundy County 28

Harrison County 29

Henry County 29

Hickory County 30

Holt County 30

Howard County 31

Howell County 31

Iron County 32

Jackson County 32

Jasper County 33

Jefferson County 33

Johnson County 34

Knox County 34

Laclede County 35

Lafayette County 35

Lawrence County 36

Lewis County 36

Lincoln County 37

Linn County 37

Livingston County 38

Macon County 38

Madison County 39

Maries County 39

Marion County 40

McDonald County 40

Mercer County 41

Miller County 41

Mississippi County 42

Moniteau County 42

Monroe County 43

Montgomery County 43

Morgan County 44

New Madrid County 44

Newton County 45

Nodaway County 45


Oregon County 46

Osage County 46

Ozark County 47
Pemiscot County 47
Perry County 48
Pettis County 48
Phelps County 49
Pike County 49
Platte County 50
Polk County 50
Pulaski County 51
Putnam County 51
Ralls County 52
Randolph County 52
Ray County 53
Reynolds County 53
Ripley County 54
Saint Charles County 54
Saint Clair County 55
Saint Francois County 55
Saint Louis County 56
Sainte Genevieve County 56
Saline County 57
Schuyler County 57
Scotland County 58
Scott County 58
Shannon County 59
Shelby County 59
Stoddard County 60
Stone County 60
Sullivan County 61
Taney County 61
Texas County 62
Vernon County 62
Warren County 63
Washington County 63
Wayne County 64
Webster County 64
Worth County 65
Wright County 65
Literature Cited 66

County and Surrounding States Map

Base map data provided by MSDIS (2009)



Introduction

Current biological surveys are essential tools for the effective conservation and management of natural resources. County checklists can serve as a valuable resource for researchers, conservation agents, wildlife managers, citizen scientists, and others. Annual updates of Missouri amphibian and reptile county distribution records (*e.g.*, Daniel *et al.* 2020). have been provided since the publication of Johnson (2000). However, no comprehensive compilation of the county lists has been available for more than 15 years (Powell and Daniel 1997). Here, we attempt to provide updated county record information in a compact and user-friendly format.

Prior to 2012, Johnson (1987, 2000) served as the authority for the annual updates. However, Johnson included a number of county distribution records that lacked corroborating voucher specimens or photographs. Beginning in 2012, the authority for the updates was changed to the *Atlas of Missouri Amphibians and Reptiles* (Daniel and Edmond 2021), which is based on museum or literature records, and the unsubstantiated localities were discarded.

The earliest herpetological museum specimens from Missouri predate the Civil War. Acquisition of additional records did not progress at a constant rate and reflected a disproportionate representation of records located near population centers or of target species. Furthermore, habitat alteration from anthropogenic activity has had a detrimental effect on biodiversity. Urban growth, suburban sprawl, road construction, and habitat fragmentation have altered some historical localities to the extent that they no longer support populations of these species. To incorporate potential changes, the checklists distinguish between historical (pre-1987) and recent records. The cut-off date chosen corresponds to the publication of Johnson (1987), Missouri's first field guide to include both amphibians and reptiles. Since that publication, Johnson and Powell (1988) initiated annual updates to the distribution records, which have continued to the present (Daniel *et al.* 2020).

Nomenclature is a dynamic field that changes, in theory, to reflect our current understanding of the relationship among taxa. Over the past two decades, numerous systematic studies have added greatly to our understanding of the evolutionary history and relationships among North American amphibians and reptiles, necessitating numerous nomenclatural changes, including many taxa native to Missouri. Recently, two of these studies identified previously unknown cryptic species found in Missouri (Lemmon *et al.* 2008, Crother *et al.* 2011). Crother *et al.* (2017) summarized the current scientific nomenclature and standardized common names for species found north of Mexico, which is followed in the checklists. While these new combinations may not be universally accepted, they do reflect the nomenclature sanctioned by the Herpetologists League (HL), Society for the Study of Amphibians and Reptiles (SSAR), American Society of Ichthyologists and Herpetologists (ASIH), and Partners in Amphibian and Reptile Conservation (PARC). A comparison of the updated nomenclature for taxa in Missouri is listed in Appendix A and discussed in detail at the project's species history page (<https://atlas.moherp.org/species/history/>).

Readers should refer to the *Atlas* (Daniel and Edmond 2021) for record sources, acknowledgements, and a complete list of literature citations. Additional project details can be found at <https://atlas.moherp.org/project/> (Edmond and Daniel 2021). Individual county checklists can be downloaded from <https://atlas.moherp.org/countyList/>. Readers wishing to contribute new or updated county records or correct errors are requested to contact the senior author.

State Checklist

Caudata (Salamanders)

<i>Siren intermedia</i>	Western Lesser Siren
<i>Cryptobranchus alleganiensis</i>	Hellbender
<i>Ambystoma annulatum</i>	Ringed Salamander
<i>Ambystoma maculatum</i>	Spotted Salamander
<i>Ambystoma opacum</i>	Marbled Salamander
<i>Ambystoma talpoideum</i>	Mole Salamander
<i>Ambystoma texanum</i>	Small-mouthed Salamander
<i>Ambystoma tigrinum</i>	Eastern Tiger Salamander
<i>Notophthalmus viridescens</i>	Central Newt
<i>Necturus maculosus</i>	Mudpuppy
<i>Amphiuma tridactylum</i>	Three-toed Amphiuma
<i>Eurycea longicauda</i>	Long-tailed Salamander
<i>Eurycea lucifuga</i>	Cave Salamander
<i>Eurycea spelaea</i>	Grotto Salamander
<i>Eurycea tynerensis</i>	Oklahoma Salamander
<i>Hemidactylium scutatum</i>	Four-toed Salamander
<i>Plethodon albagula</i>	Western Slimy Salamander
<i>Plethodon angusticlavius</i>	Ozark Zigzag Salamander
<i>Plethodon serratus</i>	Southern Red-backed Salamander

Anura (Frogs)

<i>Scaphiopus holbrookii</i>	Eastern Spadefoot
<i>Spea bombifrons</i>	Plains Spadefoot
<i>Anaxyrus americanus</i>	American Toad
<i>Anaxyrus cognatus</i>	Great Plains Toad
<i>Anaxyrus fowleri</i>	Fowler's Toad
<i>Anaxyrus woodhousii</i>	Woodhouse's Toad
<i>Acris blanchardi</i>	Blanchard's Cricket Frog
<i>Hyla chrysoscelis</i>	Cope's Gray Treefrog
<i>Hyla cinerea</i>	Green Treefrog
<i>Hyla versicolor</i>	Gray Treefrog
<i>Pseudacris crucifer</i>	Spring Peeper
<i>Pseudacris feriarum</i>	Upland Chorus Frog
<i>Pseudacris fouquettei</i>	Cajun Chorus Frog
<i>Pseudacris illinoensis</i>	Illinois Chorus Frog
<i>Pseudacris maculata</i>	Boreal Chorus Frog
<i>Lithobates areolatus</i>	Northern Crawfish Frog
<i>Lithobates blairi</i>	Plains Leopard Frog
<i>Lithobates catesbeianus</i>	American Bullfrog
<i>Lithobates clamitans</i>	Green Frog
<i>Lithobates palustris</i>	Pickerel Frog
<i>Lithobates pipiens</i>	Northern Leopard Frog
<i>Lithobates sphenoccephalus</i>	Southern Leopard Frog
<i>Lithobates sylvaticus</i>	Wood Frog
<i>Gastrophryne carolinensis</i>	Eastern Narrow-mouthed Toad
<i>Gastrophryne olivacea</i>	Western Narrow-mouthed Toad

Lacertilia (Lizards)

<i>Crotaphytus collaris</i>	Eastern Collared Lizard
<i>Phrynosoma cornutum</i>	Texas Horned Lizard
<i>Sceloporus consobrinus</i>	Prairie Lizard
<i>Aspidoscelis sexlineata</i>	Six-lined Racerunner
<i>Plestiodon anthracinus</i>	Southern Coal Skink
<i>Plestiodon fasciatus</i>	Common Five-lined Skink
<i>Plestiodon laticeps</i>	Broad-headed Skink
<i>Plestiodon obsoletus</i>	Great Plains Skink
<i>Plestiodon septentrionalis</i>	Prairie Skink
<i>Scincella lateralis</i>	Little Brown Skink
<i>Ophisaurus attenuatus</i>	Western Slender Glass Lizard

Serpentes (Snakes)

<i>Cemophora coccinea</i>	Northern Scarletsnake
<i>Coluber constrictor</i>	North American Racer
<i>Coluber flagellum</i>	Eastern Coachwhip
<i>Lampropeltis calligaster</i>	Prairie Kingsnake
<i>Lampropeltis holbrooki</i>	Speckled Kingsnake
<i>Lampropeltis nigra</i>	Eastern Black Kingsnake
<i>Lampropeltis triangulum</i>	Eastern Milksnake
<i>Opheodrys aestivus</i>	Northern Rough Greensnake
<i>Opheodrys vernalis</i>	Smooth Greensnake
<i>Pantherophis emoryi</i>	Great Plains Ratsnake
<i>Pantherophis obsoletus</i>	Western Ratsnake
<i>Pantherophis ramspotti</i>	Western Foxsnake
<i>Pantherophis vulpinus</i>	Eastern Foxsnake

<i>Pituophis catenifer</i>	Bullsnake
<i>Sonora semiannulata</i>	Variable Groundsnake
<i>Tantilla gracilis</i>	Flat-headed Snake
<i>Carphophis vermis</i>	Western Wormsnake
<i>Diadophis punctatus</i>	Ring-necked Snake
<i>Farancia abacura</i>	Western Mudsnake
<i>Heterodon gloydi</i>	Dusty Hog-nosed Snake
<i>Heterodon nasicus</i>	Plains Hog-nosed Snake
<i>Heterodon platirhinos</i>	Eastern Hog-nosed Snake
<i>Clonophis kirtlandii</i>	Kirtland's Snake
<i>Haldea striatula</i>	Rough Earthsnake
<i>Nerodia cyclopion</i>	Mississippi Green Watersnake
<i>Nerodia erythrogaster</i>	Plain-bellied Watersnake
<i>Nerodia fasciata</i>	Broad-banded Watersnake
<i>Nerodia rhombifer</i>	Diamond-backed Watersnake
<i>Nerodia sipedon</i>	Common Watersnake
<i>Regina grahamii</i>	Graham's Crawfish Snake
<i>Storeria dekayi</i>	DeKay's Brownsnake
<i>Storeria occipitomaculata</i>	Northern Red-bellied Snake
<i>Thamnophis proximus</i>	Orange-striped Ribbonsnake
<i>Thamnophis radix</i>	Plains Gartersnake
<i>Thamnophis sirtalis</i>	Common Gartersnake
<i>Tropidoclonion lineatum</i>	Lined Snake
<i>Virginia valeriae</i>	Western Smooth Earthsnake
<i>Agkistrodon contortrix</i>	Copperhead
<i>Agkistrodon piscivorus</i>	Western Cottonmouth
<i>Crotalus horridus</i>	Timber Rattlesnake
<i>Sistrurus catenatus</i>	Eastern Massasauga
<i>Sistrurus miliarius</i>	Western Pygmy Rattlesnake
<i>Sistrurus tergeminus</i>	Prairie Massasauga

Testudines (Turtles)

<i>Chelydra serpentina</i>	Snapping Turtle
<i>Macrochelys temminckii</i>	Alligator Snapping Turtle
<i>Kinosternon flavescens</i>	Yellow Mud Turtle
<i>Kinosternon subrubrum</i>	Mississippi Mud Turtle
<i>Sternotherus odoratus</i>	Eastern Musk Turtle
<i>Chrysemys dorsalis</i>	Southern Painted Turtle
<i>Chrysemys picta</i>	Western Painted Turtle
<i>Deirochelys reticularia</i>	Western Chicken Turtle
<i>Emydoidea blandingii</i>	Blanding's Turtle
<i>Graptemys geographica</i>	Northern Map Turtle
<i>Graptemys ouachitensis</i>	Ouachita Map Turtle
<i>Graptemys pseudogeographica</i>	False Map Turtle
<i>Pseudemys concinna</i>	River Cooter
<i>Terrapene carolina</i>	Three-toed Box Turtle
<i>Terrapene ornata</i>	Ornate Box Turtle
<i>Trachemys scripta</i>	Red-eared Slider
<i>Apalone mutica</i>	Midland Smooth Softshell
<i>Apalone spinifera</i>	Eastern Spiny Softshell

County Checklists

County checklists start on the next page.

Adair County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Andrew County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	/	<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Atchison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>	/	<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	/	<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Audrain County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Barry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
X	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Barton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Bates County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Benton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Bollinger County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	/	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>		<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>	/	<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Boone County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Buchanan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	/	<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Butler County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>	X	<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>	/	<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>	/	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Caldwell County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Callaway County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Camden County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Cape Girardeau County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Carroll County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Carter County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidooscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Cass County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Cedar County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>		<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Chariton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	X	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Christian County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Clark County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>	X	<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	/	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
X	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	/	<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Clay County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	X	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Clinton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Cole County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Cooper County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Crawford County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Dade County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Dallas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Daviess County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

De Kalb County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Dent County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Douglas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Dunklin County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	X	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>	/	<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Franklin County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>	/	<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Gasconade County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Gentry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Greene County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Grundy County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Harrison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Henry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Hickory County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Holt County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>	/	<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	/	<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	X	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	X	<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Howard County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Howell County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Iron County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Jackson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	X	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Jasper County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Jefferson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Johnson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Knox County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Laclede County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Lafayette County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Lawrence County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Lewis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>	/	<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Lincoln County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Linn County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Livingston County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Macon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Madison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Maries County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Marion County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>	X	<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	/	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

McDonald County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Mercer County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>	X	<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspiloscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Miller County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspiloscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Mississippi County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>	/	<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Moniteau County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Monroe County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Montgomery County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Morgan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

New Madrid County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	/	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>		<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>	X	<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Newton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Nodaway County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	X	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Oregon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Osage County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Ozark County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Pemiscot County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
/	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>		<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>	/	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Perry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	X	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Pettis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Phelps County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Pike County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Platte County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	/	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Polk County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Pulaski County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Putnam County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Ralls County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>	X	<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Randolph County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Ray County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
X	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Reynolds County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidooscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Ripley County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Saint Charles County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>	/	<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	X	<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Saint Clair County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	X	<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>	/	<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Saint Francois County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Saint Louis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>	/	<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Sainte Genevieve County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Saline County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Schuyler County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Scotland County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	/	<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Scott County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>	X	<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Shannon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Shelby County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Stoddard County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>	X	<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Stone County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>	/	<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Sullivan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Taney County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Texas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Vernon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Warren County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>	/	<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Washington County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Wayne County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Webster County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Worth County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Wright County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Literature Cited

- Crother, B.I. (chair, Committee on Standard English and Scientific Names) 2017. Scientific and Standard English Names of Amphibians and Reptiles of North America, North of Mexico, with Comments Regarding Confidence in our Understanding, 8th ed. *SSAR Herpetological Circular* (43): 102p.
- Crother, B.I., M.E. White, J.M. Savage, M.E. Eckstut, M.R. Graham, and D.W. Gardner. 2011. Reevaluation of the Status of the Foxsnakes *Pantherophis gloydi* Conant and *P. vulpinus* Baird and Girard (Lepidosauria). *ISRN Zoology* 2011 (Article ID 436049):15.
- Daniel, R.E., and B.S. Edmond. 2021. *Atlas of Missouri Amphibians and Reptiles for 2020*. <<https://atlas.moherp.org/pubs/atlas20.pdf>>
- Daniel, R.E., B.S. Edmond, and J.T. Briggler. 2020. New herpetological distribution records for Missouri in 2020. *Missouri Herpetological Association Newsletter* 33: 3-11.
- Edmond, B.S., and R.E. Daniel. 2014. A New Kingsnake for Missouri and Some Comments on the Biogeography of Southeast Missouri. *Missouri Herpetological Association Newsletter* 27: 18-21.
- Edmond, B.S., and R.E. Daniel. 2021. *Missouri Herpetological Atlas Project*. <<https://atlas.moherp.org/>> Accessed 08 April 2021.
- Johnson, T.R. 1987. *The Amphibians and Reptiles of Missouri*. Missouri Department of Conservation, Jefferson City, Missouri. 368p.
- Johnson, T.R. 2000. *The Amphibians and Reptiles of Missouri*. (2nd ed.) Missouri Department of Conservation, Jefferson City, Missouri. 400p.
- Johnson, T.R., and R. Powell. 1988. New records of amphibians and reptiles in Missouri for 1988. *Missouri Herpetological Association Newsletter* 1: 4-8.
- Lemmon, E.M., A.R. Lemmon, J.T. Collins and D.C. Cannatella. 2008. A New North American Chorus Frog Species (*Pseudacris*: Hylidae: Amphibia) from the South-Central United States. *Zootaxa*. 1675: 1-30.
- Missouri Spatial Data Information Service (MSDIS). 2009. *Base County and Boundary Map* <<https://msdis.missouri.edu/>> Accessed 1 December 2009.
- Powell, R. and R. Daniel. 1997. County distribution records of amphibians and reptiles in Missouri. *Missouri Herpetological Association Newsletter* 10: 12-69.