


Checklists of Native Missouri Amphibians and Reptiles for 2023



Richard E. Daniel
Brian S. Edmond
Jeffrey T. Briggler

Checklists of Native Missouri Amphibians and Reptiles for 2023

Richard E. Daniel
Division of Biological Sciences
University of Missouri-Columbia
114 LeFevre Hall
Columbia MO 65211
danielr@missouri.edu

Brian S. Edmond
Computer Services
Missouri State University
901 South National Ave
Springfield MO 65897
BrianEdmond@missouristate.edu

Jeffrey T. Briggler
Missouri Department of Conservation
PO Box 180
Jefferson City MO 65102
Jeff.Briggler@mdc.mo.gov

Recommended citation:

Daniel, R.E., B.S. Edmond, and J.T. Briggler. 2024.
Checklists of Native Missouri Amphibians and Reptiles for 2023.
<<https://atlas.moherp.org/pubs/checklist23.pdf>>


Updated: 19 April 2024 13:05
Copyright (C) 1997-2024. All rights reserved.

Table of Contents

County and Surrounding States Map	5
Introduction	6
State Checklist	6
County Checklists	8
Adair County	9
Andrew County	9
Atchison County	10
Audrain County	10
Barry County	11
Barton County	11
Bates County	12
Benton County	12
Bollinger County	13
Boone County	13
Buchanan County	14
Butler County	14
Caldwell County	15
Callaway County	15
Camden County	16
Cape Girardeau County	16
Carroll County	17
Carter County	17
Cass County	18
Cedar County	18
Chariton County	19
Christian County	19
Clark County	20
Clay County	20
Clinton County	21
Cole County	21
Cooper County	22
Crawford County	22
Dade County	23
Dallas County	23
Daviess County	24
De Kalb County	24
Dent County	25
Douglas County	25
Dunklin County	26

Franklin County	26
Gasconade County	27
Gentry County	27
Greene County	28
Grundy County	28
Harrison County	29
Henry County	29
Hickory County	30
Holt County	30
Howard County	31
Howell County	31
Iron County	32
Jackson County	32
Jasper County	33
Jefferson County	33
Johnson County	34
Knox County	34
Laclede County	35
Lafayette County	35
Lawrence County	36
Lewis County	36
Lincoln County	37
Linn County	37
Livingston County	38
Macon County	38
Madison County	39
Maries County	39
Marion County	40
McDonald County	40
Mercer County	41
Miller County	41
Mississippi County	42
Moniteau County	42
Monroe County	43
Montgomery County	43
Morgan County	44
New Madrid County	44
Newton County	45
Nodaway County	45
Oregon County	46
Osage County	46

Ozark County	47
Pemiscot County	47
Perry County	48
Pettis County	48
Phelps County	49
Pike County	49
Platte County	50
Polk County	50
Pulaski County	51
Putnam County	51
Ralls County	52
Randolph County	52
Ray County	53
Reynolds County	53
Ripley County	54
Saint Charles County	54
Saint Clair County	55
Saint Francois County	55
Saint Louis County	56
Sainte Genevieve County	56
Saline County	57
Schuyler County	57
Scotland County	58
Scott County	58
Shannon County	59
Shelby County	59
Stoddard County	60
Stone County	60
Sullivan County	61
Taney County	61
Texas County	62
Vernon County	62
Warren County	63
Washington County	63
Wayne County	64
Webster County	64
Worth County	65
Wright County	65
Literature Cited	66
Appendix A: Collection Sources	67
Appendix B: Literature Sources	68



Introduction

Current biological surveys are essential tools for the effective conservation and management of natural resources. County checklists can serve as a valuable resource for researchers, conservation agents, wildlife managers, citizen scientists, and others. Here, we provide updated county record information in a compact and user-friendly format that can be used to check county records and document future ones.

The earliest herpetological museum specimens from Missouri predate the Civil War. Acquisition of additional records did not progress at a constant rate and reflected a disproportionate representation of records located near population centers or of target species. Furthermore, habitat alteration from anthropogenic activity has had a detrimental effect on biodiversity. Urban growth, suburban sprawl, road construction, and habitat fragmentation have altered some historical localities to the extent that they no longer support populations of these species. To incorporate potential changes, the checklists distinguish between historical (pre-1987) and recent records. The cut-off date chosen corresponds to the publication of Johnson (1987), Missouri's first field guide to include both amphibians and reptiles.

Annual county record updates (e.g., Daniel *et al.* 2022 and previous updates) are used to update data for this checklist as well as the *Atlas* (Daniel and Edmond 2024). The latest edition of *The Amphibians and Reptiles of Missouri* (Briggler and Johnson 2021) incorporated these data at the time of publication. Collection sources (Appendix A) and some literature sources (Appendix B) were used for the underlying data. Additional project details can be found at <https://atlas.moherp.org/project/> (Edmond and Daniel 2024). Individual county checklists can be downloaded from <https://atlas.moherp.org/countyList>. Readers may contribute new or updated county records. Questions, comments, or correction should be directed to senior author.

State Checklist

Caudata (Salamanders)

<i>Siren intermedia</i>	Western Lesser Siren
<i>Cryptobranchus alleganiensis</i>	Hellbender
<i>Ambystoma annulatum</i>	Ringed Salamander
<i>Ambystoma maculatum</i>	Spotted Salamander
<i>Ambystoma opacum</i>	Marbled Salamander
<i>Ambystoma talpoideum</i>	Mole Salamander
<i>Ambystoma texanum</i>	Small-mouthed Salamander
<i>Ambystoma tigrinum</i>	Eastern Tiger Salamander
<i>Notophthalmus viridescens</i>	Central Newt
<i>Necturus maculosus</i>	Mudpuppy
<i>Amphiuma tridactylum</i>	Three-toed Amphiuma
<i>Eurycea longicauda</i>	Long-tailed Salamander
<i>Eurycea lucifuga</i>	Cave Salamander
<i>Eurycea spelaea</i>	Grotto Salamander
<i>Eurycea tynerensis</i>	Oklahoma Salamander
<i>Hemidactylium scutatum</i>	Four-toed Salamander
<i>Plethodon albagula</i>	Western Slimy Salamander
<i>Plethodon angusticlavius</i>	Ozark Zigzag Salamander
<i>Plethodon serratus</i>	Southern Red-backed Salamander

Anura (Frogs)

<i>Scaphiopus holbrookii</i>	Eastern Spadefoot
<i>Spea bombifrons</i>	Plains Spadefoot
<i>Anaxyrus americanus</i>	American Toad
<i>Anaxyrus cognatus</i>	Great Plains Toad
<i>Anaxyrus fowleri</i>	Fowler's Toad
<i>Anaxyrus woodhousii</i>	Woodhouse's Toad
<i>Acris blanchardi</i>	Blanchard's Cricket Frog
<i>Hyla chrysoscelis</i>	Cope's Gray Treefrog
<i>Hyla cinerea</i>	Green Treefrog
<i>Hyla versicolor</i>	Gray Treefrog
<i>Pseudacris crucifer</i>	Spring Peeper
<i>Pseudacris feriarum</i>	Upland Chorus Frog
<i>Pseudacris fouquettei</i>	Cajun Chorus Frog

<i>Pseudacris illinoensis</i>	Illinois Chorus Frog
<i>Pseudacris maculata</i>	Boreal Chorus Frog
<i>Lithobates areolatus</i>	Northern Crawfish Frog
<i>Lithobates blairi</i>	Plains Leopard Frog
<i>Lithobates catesbeianus</i>	American Bullfrog
<i>Lithobates clamitans</i>	Green Frog
<i>Lithobates palustris</i>	Pickerel Frog
<i>Lithobates pipiens</i>	Northern Leopard Frog
<i>Lithobates sphenoccephalus</i>	Southern Leopard Frog
<i>Lithobates sylvaticus</i>	Wood Frog
<i>Gastrophryne carolinensis</i>	Eastern Narrow-mouthed Toad
<i>Gastrophryne olivacea</i>	Western Narrow-mouthed Toad

Lacertilia (Lizards)

<i>Crotaphytus collaris</i>	Eastern Collared Lizard
<i>Phrynosoma cornutum</i>	Texas Horned Lizard
<i>Sceloporus consobrinus</i>	Prairie Lizard
<i>Aspidoscelis sexlineata</i>	Six-lined Racerunner
<i>Plestiodon anthracinus</i>	Southern Coal Skink
<i>Plestiodon fasciatus</i>	Common Five-lined Skink
<i>Plestiodon laticeps</i>	Broad-headed Skink
<i>Plestiodon obsoletus</i>	Great Plains Skink
<i>Plestiodon septentrionalis</i>	Prairie Skink
<i>Scincella lateralis</i>	Little Brown Skink
<i>Ophisaurus attenuatus</i>	Western Slender Glass Lizard

Serpentes (Snakes)

<i>Cemophora coccinea</i>	Northern Scarletsnake
<i>Coluber constrictor</i>	North American Racer
<i>Coluber flagellum</i>	Eastern Coachwhip
<i>Lampropeltis calligaster</i>	Prairie Kingsnake
<i>Lampropeltis holbrooki</i>	Speckled Kingsnake
<i>Lampropeltis nigra</i>	Eastern Black Kingsnake
<i>Lampropeltis triangulum</i>	Eastern Milksnake
<i>Opheodrys aestivus</i>	Northern Rough Greensnake
<i>Opheodrys vernalis</i>	Smooth Greensnake
<i>Pantherophis emoryi</i>	Great Plains Ratsnake
<i>Pantherophis obsoletus</i>	Western Ratsnake
<i>Pantherophis ramspotti</i>	Western Foxsnake
<i>Pantherophis vulpinus</i>	Eastern Foxsnake
<i>Pituophis catenifer</i>	Bullsnake
<i>Sonora semiannulata</i>	Variable Groundsnake
<i>Tantilla gracilis</i>	Flat-headed Snake
<i>Carphophis vermis</i>	Western Wormsnake
<i>Diadophis punctatus</i>	Ring-necked Snake
<i>Farancia abacura</i>	Western Mudsnake
<i>Heterodon gloydi</i>	Dusty Hog-nosed Snake
<i>Heterodon nasicus</i>	Plains Hog-nosed Snake
<i>Heterodon platirhinus</i>	Eastern Hog-nosed Snake
<i>Clonophis kirtlandii</i>	Kirtland's Snake
<i>Haldea striatula</i>	Rough Earthsnake
<i>Nerodia cyclopion</i>	Mississippi Green Watersnake
<i>Nerodia erythrogaster</i>	Plain-bellied Watersnake
<i>Nerodia fasciata</i>	Broad-banded Watersnake
<i>Nerodia rhombifer</i>	Diamond-backed Watersnake
<i>Nerodia sipedon</i>	Common Watersnake

<i>Regina grahamii</i>	Graham's Crawfish Snake
<i>Storeria dekayi</i>	DeKay's Brownsnake
<i>Storeria occipitomaculata</i>	Northern Red-bellied Snake
<i>Thamnophis proximus</i>	Orange-striped Ribbonsnake
<i>Thamnophis radix</i>	Plains Gartersnake
<i>Thamnophis sirtalis</i>	Common Gartersnake
<i>Tropidoclonion lineatum</i>	Lined Snake
<i>Virginia valeriae</i>	Western Smooth Earthsnake
<i>Agkistrodon contortrix</i>	Copperhead
<i>Agkistrodon piscivorus</i>	Western Cottonmouth
<i>Crotalus horridus</i>	Timber Rattlesnake
<i>Sistrurus catenatus</i>	Eastern Massasauga
<i>Sistrurus miliarius</i>	Western Pygmy Rattlesnake
<i>Sistrurus tergeminus</i>	Prairie Massasauga

Testudines (Turtles)

<i>Chelydra serpentina</i>	Snapping Turtle
<i>Macrochelys temminckii</i>	Alligator Snapping Turtle
<i>Kinosternon flavescens</i>	Yellow Mud Turtle
<i>Kinosternon subrubrum</i>	Mississippi Mud Turtle
<i>Sternotherus odoratus</i>	Eastern Musk Turtle
<i>Chrysemys dorsalis</i>	Southern Painted Turtle
<i>Chrysemys picta</i>	Western Painted Turtle
<i>Deirochelys reticularia</i>	Western Chicken Turtle
<i>Emydoidea blandingii</i>	Blanding's Turtle
<i>Graptemys geographica</i>	Northern Map Turtle
<i>Graptemys ouachitensis</i>	Ouachita Map Turtle
<i>Graptemys pseudogeographica</i>	False Map Turtle
<i>Pseudemys concinna</i>	River Cooter
<i>Terrapene carolina</i>	Three-toed Box Turtle
<i>Terrapene ornata</i>	Ornate Box Turtle
<i>Trachemys scripta</i>	Red-eared Slider
<i>Apalone mutica</i>	Midland Smooth Softshell
<i>Apalone spinifera</i>	Eastern Spiny Softshell

County Checklists

County checklists start on the next page.

Adair County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Andrew County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	/	<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Atchison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>	/	<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	/	<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Audrain County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Barry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
X	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Barton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Bates County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Benton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Bollinger County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	/	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>		<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>	/	<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Boone County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Buchanan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	/	<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Butler County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>	X	<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>	/	<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Caldwell County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Callaway County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Camden County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Cape Girardeau County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Carroll County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Carter County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidooscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Cass County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Cedar County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>		<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Chariton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
		<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
		<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
X		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/		<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>		<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
		<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
		<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X		<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
		<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X		<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/		<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
		<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
		<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
		<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
		<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
		<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	X	<i>Sistrurus tergeminus</i>
X		<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Christian County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
		<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/		<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X		<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X		<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X		<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/		<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/		<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
		<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X		<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/		<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X		<i>Lampropeltis calligaster</i>	/	<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X		<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
		<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/		<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/		<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
		<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
/		<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/		<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Clark County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>	X	<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	/	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
X	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	/	<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Clay County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	X	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Clinton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Cole County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Cooper County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidocheilus sexlineata</i>	/	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Crawford County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Dade County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidooscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Dallas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Daviness County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

De Kalb County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Dent County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Douglas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Dunklin County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>	/	<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Franklin County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Gasconade County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Gentry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Greene County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Grundy County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Harrison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Henry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Hickory County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Holt County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>	/	<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	X	<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	X	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	X	<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Howard County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Howell County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Iron County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Jackson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	X	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrooki</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Jasper County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidooscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Jefferson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Johnson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Knox County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Laclede County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Lafayette County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Lawrence County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Lewis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>	/	<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Lincoln County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Linn County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Livingston County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
		<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
		<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/		<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
		<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
		<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X		<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
		<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X		<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
		<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
		<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/		<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
		<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
		<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
		<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X		<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Macon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
		<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
		<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X		<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
		<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
		<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X		<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
		<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X		<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X		<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
		<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
		<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
		<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
		<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
		<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X		<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Madison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Maries County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Marion County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>	X	<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	/	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

McDonald County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Mercer County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>	X	<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Miller County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Mississippi County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	X	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>	/	<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Moniteau County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Monroe County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
		<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
		<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
		<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
		<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X		<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X		<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
		<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X		<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
		<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X		<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
		<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
		<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X		<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
		<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
		<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
		<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X		<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Montgomery County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

		<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
		<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X		<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X		<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X		<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
		<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
/		<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/		<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
		<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X		<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
		<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X		<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
		<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
		<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X		<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
		<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X		<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X		<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X		<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X		<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
		<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X		<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X		<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/		<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X		<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X		<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X		<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
		<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
		<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
		<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
		<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Morgan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

New Madrid County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	/	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>		<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>	X	<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Newton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Nodaway County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	X	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Oregon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Osage County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Ozark County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Pemiscot County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
/	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>		<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>	/	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Perry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	X	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Pettis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Phelps County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Pike County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Platte County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	/	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Polk County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Pulaski County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Putnam County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Ralls County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>	X	<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Randolph County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Ray County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
X	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Reynolds County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidooscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Ripley County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Saint Charles County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
X	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>	/	<i>Sistrurus catenatus</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	X	<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Saint Clair County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	X	<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>	/	<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Saint Francois County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Saint Louis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
X	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>	/	<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Sainte Genevieve County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Saline County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Schuyler County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Scotland County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	/	<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Scott County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>	X	<i>Heterodon gloydi</i>		<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Shannon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Shelby County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Stoddard County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>	X	<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>	/	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Stone County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
/	<i>Ambystoma maculatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>	/	<i>Sonora semiannulata</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	/	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Sullivan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Taney County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	X	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Texas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Vernon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene ornata</i>		

Warren County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidocheilus sexlineata</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	X	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>	/	<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Washington County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
/	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidocheilus sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>	/	<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Wayne County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren intermedia</i>	X	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>	/	<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>	X	<i>Crotalus horridus</i>
/	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>	X	<i>Sistrurus miliarius</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Webster County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Hyla versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
/	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrooki</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>		<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene ornata</i>		

Worth County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Ambystoma annulatum</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma maculatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea spelaea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Hyla chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	/	<i>Thamnophis sirtalis</i>
	<i>Coluber flagellum</i>		<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	X	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene carolina</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Wright County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren intermedia</i>		<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Ambystoma annulatum</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma maculatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea spelaea</i>	X	<i>Plethodon serratus</i>
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Scaphiopus holbrookii</i>		<i>Hyla chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenocephalus</i>
	<i>Spea bombifrons</i>		<i>Hyla cinerea</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Hyla versicolor</i>	/	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidooscelis sexlineata</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Clonophis kirtlandii</i>		<i>Thamnophis radix</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Haldea striatula</i>	X	<i>Thamnophis sirtalis</i>
X	<i>Coluber flagellum</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Lampropeltis calligaster</i>		<i>Sonora semiannulata</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Tantilla gracilis</i>		<i>Nerodia fasciata</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Carphophis vermis</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Diadophis punctatus</i>	/	<i>Nerodia sipedon</i>		<i>Crotalus horridus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Regina grahamii</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon gloydi</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus miliarius</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon nasicus</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis obsoletus</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis proximus</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene carolina</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>		<i>Terrapene ornata</i>		

Literature Cited

- Briggler, J.T. and T.R. Johnson. 2021. *The Amphibians and Reptiles of Missouri* (3rd ed.). Missouri Department of Conservation, Jefferson City, Missouri.
- Daniel, R.E., and B.S. Edmond. 2024. *Atlas of Missouri Amphibians and Reptiles for 2023*. <<https://atlas.moherp.org/pubs/atlas23.pdf>>
- Daniel, R.E., B.S. Edmond, and J.T. Briggler. 2022. New herpetological distribution records for Missouri in 2022. *Missouri Herpetological Association Newsletter* 35: 3-5.
- Edmond, B.S., and R.E. Daniel. 2024. *Missouri Herpetological Atlas Project*. <<https://atlas.moherp.org/>> Accessed 19 April 2024.
- Johnson, T.R. 1987. *The Amphibians and Reptiles of Missouri*. Missouri Department of Conservation, Jefferson City, Missouri. 368p.
- Missouri Spatial Data Information Service (MSDIS). 2009. *Base County and Boundary Map* <<https://msdis.missouri.edu/>> Accessed 1 December 2009.

Appendix A: Collection Sources

American Museum of Natural History
Arkansas State University
Austin Peay State University *
Bobby Witcher Memorial Collection, Avila College (KU)
Carnegie Museum of Natural History
Chicago Academy of Sciences
Cornell University Museum of Vertebrates
Culver-Stockton College
Dallas Museum of Natural History *
Field Museum of Natural History
H. Carl Gerhardt Audio Recording Collection (Cornell)
Illinois Natural History Survey
Milwaukee Public Museum
Missouri Department of Conservation *
Missouri State University
Museum of Comparative Zoology, Harvard University
Museum of Natural Science, Louisiana State University
Museum of Southwest Biology (New Mexico) *
National Museum of Natural History
Natural History Museum of Los Angeles County *
Pittsburg State University
Saint Louis Academy of Sciences
Southeast Missouri State University
Southern Illinois University--Carbondale
Southern Illinois University--Edwardsville
Sternberg Museum of Natural History, Fort Hays State University
Texas Natural History Collection *
University of Arkansas--Fayetteville
University of California--Berkeley Museum of Vertebrate Zoology
University of Central Missouri
University of Florida at Gainesville *
University of Georgia, Museum of Natural History
University of Illinois Natural History Museum
University of Kansas, Museum of Natural History
University of Michigan, Museum of Zoology
University of Missouri--Columbia Dean E. Metter Memorial Herpetology Collection
William Jewell College

* Collection sources marked with an asterisk (*) are included from published accounts only and are presumed to represent only part of the collection's Missouri records. All Missouri material from these sources has not been included in the database or the printed atlas.

Appendix B: Literature Sources

- Anderson, P. 1942. Amphibians and reptiles of Jackson County, Missouri. *Bulletin of the Chicago Academy of Science* 6(11): 203-220.
- Anderson, P. 1965. *The Reptiles of Missouri*. University of Missouri Press, Columbia, Missouri. xxiii + 330p.
- Blanchard, F.N. 1924. A collection of amphibians and reptiles from southeastern Missouri and Illinois. *Papers of the Michigan Academy of Science, Art, and Letters* 4: 533-541.
- Bodie, J.R. 1998. Contemporary hydrology of a large-river floodplain: Multiple-scale effects on freshwater turtles. Unpublished MA thesis, University of Missouri-Columbia.
- Boyer, D.A., and A.A. Heinze. 1934. An annotated list of the amphibians and reptiles of Jefferson County, Missouri. *Transactions of the Saint Louis Academy of Science* 28(4): 185-200.
- Bufalino, A.P. 2004. Geographic Distribution: *Hemidactylus turcicus turcicus*. *Herpetological Review* 35: 188.
- Burt, C.E. 1932. Records of amphibians from the eastern and central United States (1931). *American Midland Naturalist* 13: 75-85.
- Burt, C.E. 1933. A collection of amphibians and reptiles from southern Missouri. *American Midland Naturalist* 14: 170-173.
- Burt, C.E. 1935. Further records of the ecology and distribution of amphibians and reptiles in the middle west. *American Midland Naturalist* 16(3): 311-366.
- Burt, C.E. and W.L. Hoyle. 1935. Additional records of the reptiles of the central prairie region of the United States. *Transactions of the Kansas Academy of Science* 37: 193-216.
- Conant, R., and C.J. Goin. 1948. A new subspecies of the soft-shelled turtle from the central United States, with comments on the application of the name *Amyda*. *Occasional Papers of the Museum of Zoology* (510): 1-19.
- Easterla, D.A. 1972. Herpetological records for northwest Missouri. *Transactions of the Missouri Academy of Science* 6: 158-160.
- Easterla, D.A. and M.D. Meadows. 1993. The northern prairie skink rediscovered in Missouri, the last recorded occurrence of the smooth green snake for Missouri, plus a Missouri range extension for the northern spring peeper. *Bluebird* 60(3): 105-109.
- Evans, P.D. 1940. Notes on Missouri snakes. *Copeia* 1940: 53-54.
- Henning, W.L. 1938. Amphibians and reptiles of a 2,220-acre tract in central Missouri. *Copeia* 1938(2): 91-92.
- Hubbs, B. 2011. Geographic Distribution: *Lampropeltis triangulum sypila*. *Herpetological Review* 42: 114.
- Hubbs, B. 2012. Geographic Distribution: *Apalone mutica*. *Herpetological Review* 43(3): 441.
- Hurter, J. 1911. Herpetology of Missouri. *Transactions of the Saint Louis Academy of Science* 20(5): 59-274.
- Jones, J.M. 1967. A western extension of the known range of Kirtland's watersnake. *Herpetologica* 23(1): 66-67.
- Karel, J.A. 1974. Cottonmouths in the St. Francois Mountains. *Saint Louis Herpetological Society Newsletter* 1(8): 10.
- McConkey, E.H. 1954. A systematic study of the North American lizards of the genus *Ophisaurus*. *American Midland Naturalist* 51(1): 133-171.
- Myers, C.W. 1957. Amphibians and reptiles of Washington State Park, Washington County, Missouri. *Transactions of the Kansas Academy of Science* 60(3): 288-293.
- Myers, C.W. 1959. Amphibians and reptiles of Montauk State Park and vicinity, Dent County, Missouri. *Transactions of the Kansas Academy of Science* 62(1): 88-90.
- Nicholson, A.E. 2013a. Geographic distribution: USA: Missouri: *Notophthalmus viridescens*. *Herpetological Review* 44(3): 470.
- Nicholson, A.E. 2013b. Geographic distribution: USA: Missouri: *Plestiodon laticeps*. *Herpetological Review* 44(3): 475.
- Nicholson, A.E. 2013c. Geographic distribution: USA: Missouri: *Lampropeltis triangulum*. *Herpetological Review* 44(3): 477.
- Nickerson, M.A., and R. Krager. 1971. Noteworthy records of Missouri reptiles. *Transactions of the Kansas Academy of Science* 74(1): 99-101.
- Nickerson, M.A. and R. Krager. 1972. Additional noteworthy records of Missouri amphibians and reptiles with a possible addition to the herpetofauna. *Transactions of the Kansas Academy of Science* 75(3): 276-277.
- Owens, V. 1949. New snake records and notes, Morgan County, Missouri. *Herpetologica* 5: 49-50.
- Peters, J.A. 1946. Records of certain North American salamanders. *Copeia* 1946(2): 106.
- Peters, J.A. 1946. Reptiles and amphibians of Sam A. Baker State Park, Wayne County, Missouri. *Copeia* 1946(1): 44.
- Phillips, C.A. 1994. Geographic distribution of mitochondrial DNA variants and the historical biogeography of the spotted salamander, *Ambystoma maculatum*. *Evolution* 48(3): 597-607.
- Shaffer, H.B., and M.L. McKnight. 1996. The polytypic species revisited: Genetic differentiation and molecular phylogenetics of the tiger salamander *Ambystoma tigrinum* (Amphibia: Caudata) complex. *Evolution* 50(1): 417-433.
- Tanner, W.W., and R.B. Loomis. 1957. Taxonomic and distributional study of the western subspecies of the milksnake, *Lampropeltis doliata*. *Transactions of the Kansas Academy of Science* 60(1): 12-42.
- Van Wagenen, G. 1917. *Diadophis amabilis* in Missouri. *Copeia* (43): 43-44.
- Watkins, L.C. 1969. A third record of the four-toed salamander, *Hemidactylium scutatum*, in Missouri. *Transactions of the Kansas Academy of Science* 72(2): 264-265.
- Watkins, L.C., and L.L. Hinesley. 1970. Notes on the distribution and abundance of the sonoran skink, *Eumeces obsoletus*, in western Missouri. *Transactions of the Kansas Academy of Science* 73(1): 118-119.
- Williams, K.L. 1978. American Milk Snake. *Milwaukee Public Museum Publications in Biology and Geology* 2: 1-258.