


Checklists of Native Missouri Amphibians and Reptiles for 2025



Richard E. Daniel
Brian S. Edmond
Jeffrey T. Briggler

Checklists of Native Missouri Amphibians and Reptiles for 2025

Richard E. Daniel
113 Pinewood Drive
Columbia MO 65203
danielr@missouri.edu

Brian S. Edmond
Computer Services
Missouri State University
901 South National Ave
Springfield MO 65897
BrianEdmond@missouristate.edu

Jeffrey T. Briggler
Missouri Department of Conservation
PO Box 180
Jefferson City MO 65102
Jeff.Briggler@mdc.mo.gov

Recommended citation:

Daniel, R.E., B.S. Edmond, and J.T. Briggler. 2026.
Checklists of Native Missouri Amphibians and Reptiles for 2025.
<<https://atlas.moherp.org/pubs/checklist25.pdf>>

Updated: 22 April 2026 10:24
Copyright (C) 1997-2026. All rights reserved.

Table of Contents

County and Surrounding States Map	5
Introduction	6
State Checklist	6
County Checklists	8
Adair County	9
Andrew County	9
Atchison County	10
Audrain County	10
Barry County	11
Barton County	11
Bates County	12
Benton County	12
Bollinger County	13
Boone County	13
Buchanan County	14
Butler County	14
Caldwell County	15
Callaway County	15
Camden County	16
Cape Girardeau County	16
Carroll County	17
Carter County	17
Cass County	18
Cedar County	18
Chariton County	19
Christian County	19
Clark County	20
Clay County	20
Clinton County	21
Cole County	21
Cooper County	22
Crawford County	22
Dade County	23
Dallas County	23
Daviess County	24
De Kalb County	24
Dent County	25
Douglas County	25
Dunklin County	26

Franklin County 26

Gasconade County 27

Gentry County 27

Greene County 28

Grundy County 28

Harrison County 29

Henry County 29

Hickory County 30

Holt County 30

Howard County 31

Howell County 31

Iron County 32

Jackson County 32

Jasper County 33

Jefferson County 33

Johnson County 34

Knox County 34

Laclede County 35

Lafayette County 35

Lawrence County 36

Lewis County 36

Lincoln County 37

Linn County 37

Livingston County 38

Macon County 38

Madison County 39

Maries County 39

Marion County 40

McDonald County 40

Mercer County 41

Miller County 41

Mississippi County 42

Moniteau County 42

Monroe County 43

Montgomery County 43

Morgan County 44

New Madrid County 44

Newton County 45

Nodaway County 45

Oregon County 46

Osage County 46

Ozark County 47

Pemiscot County 47

Perry County 48

Pettis County 48

Phelps County 49

Pike County 49

Platte County 50

Polk County 50

Pulaski County 51

Putnam County 51

Ralls County 52

Randolph County 52

Ray County 53

Reynolds County 53

Ripley County 54

Saint Charles County 54

Saint Clair County 55

Saint Francois County 55

Saint Louis County 56

Sainte Genevieve County 56

Saline County 57

Schuyler County 57

Scotland County 58

Scott County 58

Shannon County 59

Shelby County 59

Stoddard County 60

Stone County 60

Sullivan County 61

Taney County 61

Texas County 62

Vernon County 62

Warren County 63

Washington County 63

Wayne County 64

Webster County 64

Worth County 65

Wright County 65


Literature Cited 66

Appendix A: Collection Sources 67

Appendix B: Literature Sources 68

County and Surrounding States Map

Base map data provided by MSDIS (2009)



Introduction

Current biological surveys are essential tools for the effective conservation and management of natural resources. County checklists can serve as a valuable resource for researchers, conservation agents, wildlife managers, citizen scientists, and others. Here, we provide updated county record information in a compact and user-friendly format that can be used to check county records and document future ones.

The earliest herpetological museum specimens from Missouri predate the Civil War. Acquisition of additional records did not progress at a constant rate and reflected a disproportionate representation of records located near population centers or of target species. Furthermore, habitat alteration from anthropogenic activity has had a detrimental effect on biodiversity. Urban growth, suburban sprawl, road construction, and habitat fragmentation have altered some historical localities to the extent that they no longer support populations of these species. To incorporate potential changes, the checklists distinguish between historical (pre-1987) and recent records. The cut-off date chosen corresponds to the publication of Johnson (1987), Missouri's first field guide to include both amphibians and reptiles.

Annual county record updates (*e.g.*, Daniel *et al.* 2025 and previous updates) are used to update data for this checklist as well as the *Atlas* (Daniel and Edmond 2026). The latest edition of *The Amphibians and Reptiles of Missouri* (Briggler and Johnson 2021) incorporated these data at the time of publication. Collection sources (Appendix A) and some literature sources (Appendix B) were used for the underlying data. Project details can be found at the MOHAP web site (Edmond and Daniel 2026). Individual county checklists can be downloaded from <https://atlas.moherp.org/countyList>. Readers may contribute new or updated county records. Questions, comments, or correction should be directed to the senior author.

State Checklist

Caudata (Salamanders)

<i>Siren nettingi</i>	Western Lesser Siren
<i>Cryptobranchus alleganiensis</i>	Hellbender
<i>Ambystoma annulatum</i>	Ringed Salamander
<i>Ambystoma maculatum</i>	Spotted Salamander
<i>Ambystoma opacum</i>	Marbled Salamander
<i>Ambystoma talpoideum</i>	Mole Salamander
<i>Ambystoma texanum</i>	Small-mouthed Salamander
<i>Ambystoma tigrinum</i>	Eastern Tiger Salamander
<i>Notophthalmus viridescens</i>	Central Newt
<i>Necturus louisianensis</i>	Red River Mudpuppy
<i>Necturus maculosus</i>	Mudpuppy
<i>Amphiuma tridactylum</i>	Three-toed Amphiuma
<i>Eurycea longicauda</i>	Long-tailed Salamander
<i>Eurycea lucifuga</i>	Cave Salamander
<i>Eurycea nerea</i>	Northern Grotto Salamander
<i>Eurycea spelaea</i>	Western Grotto Salamander
<i>Eurycea tynerensis</i>	Oklahoma Salamander
<i>Hemidactylium scutatum</i>	Four-toed Salamander
<i>Plethodon albagula</i>	Western Slimy Salamander
<i>Plethodon angusticlavius</i>	Ozark Zigzag Salamander
<i>Plethodon serratus</i>	Southern Red-backed Salamander

Anura (Frogs)

<i>Scaphiopus holbrookii</i>	Eastern Spadefoot
<i>Spea bombifrons</i>	Plains Spadefoot
<i>Anaxyrus americanus</i>	American Toad
<i>Anaxyrus cognatus</i>	Great Plains Toad
<i>Anaxyrus fowleri</i>	Fowler's Toad
<i>Anaxyrus woodhousii</i>	Rocky Mountain Toad
<i>Acris blanchardi</i>	Blanchard's Cricket Frog
<i>Dryophytes chrysoscelis</i>	Cope's Gray Treefrog
<i>Dryophytes cinereus</i>	Green Treefrog
<i>Dryophytes versicolor</i>	Gray Treefrog
<i>Pseudacris crucifer</i>	Spring Peeper

<i>Pseudacris feriarum</i>	Upland Chorus Frog
<i>Pseudacris fouquettei</i>	Cajun Chorus Frog
<i>Pseudacris illinoensis</i>	Illinois Chorus Frog
<i>Pseudacris maculata</i>	Boreal Chorus Frog
<i>Lithobates areolatus</i>	Northern Crawfish Frog
<i>Lithobates blairi</i>	Plains Leopard Frog
<i>Lithobates catesbeianus</i>	North American Bullfrog
<i>Lithobates clamitans</i>	North American Green Frog
<i>Lithobates palustris</i>	Pickerel Frog
<i>Lithobates pipiens</i>	Northern Leopard Frog
<i>Lithobates sphenoccephalus</i>	Coastal Plains Leopard Frog
<i>Lithobates sylvaticus</i>	Wood Frog
<i>Gastrophryne carolinensis</i>	Eastern Narrow-mouthed Toad
<i>Gastrophryne olivacea</i>	Western Narrow-mouthed Toad

Squamata, "Lizards" (Lizards)

<i>Crotaphytus collaris</i>	Eastern Collared Lizard
<i>Phrynosoma cornutum</i>	Texas Horned Lizard
<i>Sceloporus consobrinus</i>	Prairie Lizard
<i>Aspidoscelis sexlineatus</i>	Prairie Racerunner
<i>Plestiodon anthracinus</i>	Southern Coal Skink
<i>Plestiodon fasciatus</i>	Common Five-lined Skink
<i>Plestiodon laticeps</i>	Broad-headed Skink
<i>Plestiodon obsoletus</i>	Great Plains Skink
<i>Plestiodon septentrionalis</i>	Prairie Skink
<i>Scincella lateralis</i>	Little Brown Skink
<i>Ophisaurus attenuatus</i>	Western Slender Glass Lizard

Squamata, "Snakes" (Snakes)

<i>Cemophora coccinea</i>	Northern Scarletsnake
<i>Coluber constrictor</i>	North American Racer
<i>Lampropeltis calligaster</i>	Prairie Kingsnake
<i>Lampropeltis holbrooki</i>	Speckled Kingsnake
<i>Lampropeltis nigra</i>	Eastern Black Kingsnake
<i>Lampropeltis triangulum</i>	Eastern Milksnake
<i>Masticophis flagellum</i>	Eastern Coachwhip
<i>Opheodrys aestivus</i>	Northern Rough Greensnake
<i>Opheodrys vernalis</i>	Smooth Greensnake
<i>Pantherophis emoryi</i>	Great Plains Ratsnake
<i>Pantherophis obsoletus</i>	Western Ratsnake
<i>Pantherophis ramspotti</i>	Western Foxsnake
<i>Pantherophis vulpinus</i>	Eastern Foxsnake
<i>Pituophis catenifer</i>	Bullsnake
<i>Sonora episcopa</i>	Great Plains Groundsnake
<i>Tantilla gracilis</i>	Flat-headed Snake
<i>Carphophis vermis</i>	Western Wormsnake
<i>Diadophis punctatus</i>	Ring-necked Snake
<i>Farancia abacura</i>	Western Mudsnake
<i>Heterodon nasicus</i>	Western Hog-nosed Snake
<i>Heterodon platirhinos</i>	Eastern Hog-nosed Snake
<i>Clonophis kirtlandii</i>	Kirtland's Snake
<i>Nerodia cyclopion</i>	Mississippi Green Watersnake
<i>Nerodia erythrogaster</i>	Yellow-bellied Watersnake
<i>Nerodia fasciata</i>	Broad-banded Watersnake
<i>Nerodia rhombifer</i>	Northern Diamond-backed Watersnake
<i>Nerodia sipedon</i>	Common Watersnake

<i>Regina grahamii</i>	Graham's Crawfish Snake
<i>Storeria dekayi</i>	DeKay's Brownsnake
<i>Storeria occipitomaculata</i>	Red-bellied Snake
<i>Thamnophis proximus</i>	Orange-striped Ribbonsnake
<i>Thamnophis radix</i>	Plains Gartersnake
<i>Thamnophis sirtalis</i>	Common Gartersnake
<i>Tropidoclonion lineatum</i>	Lined Snake
<i>Virginia striatula</i>	Rough Earthsnake
<i>Virginia valeriae</i>	Western Smooth Earthsnake
<i>Agkistrodon contortrix</i>	Eastern Copperhead
<i>Agkistrodon piscivorus</i>	Northern Cottonmouth
<i>Crotalus horridus</i>	Timber Rattlesnake
<i>Sistrurus catenatus</i>	Eastern Massasauga
<i>Sistrurus miliarius</i>	Western Pygmy Rattlesnake
<i>Sistrurus tergeminus</i>	Prairie Massasauga

Testudines (Turtles)

<i>Chelydra serpentina</i>	North American Snapping Turtle
<i>Macrochelys temminckii</i>	Western Alligator Snapping Turtle
<i>Kinosternon flavescens</i>	Yellow Mud Turtle
<i>Kinosternon subrubrum</i>	Mississippi Mud Turtle
<i>Sternotherus odoratus</i>	Eastern Musk Turtle
<i>Chrysemys dorsalis</i>	Southern Painted Turtle
<i>Chrysemys picta</i>	Western Painted Turtle
<i>Deirochelys reticularia</i>	Western Chicken Turtle
<i>Emydoidea blandingii</i>	Blanding's Turtle
<i>Graptemys geographica</i>	Northern Map Turtle
<i>Graptemys ouachitensis</i>	Ouachita Map Turtle
<i>Graptemys pseudogeographica</i>	False Map Turtle
<i>Pseudemys concinna</i>	Eastern River Cooter
<i>Terrapene ornata</i>	Ornate Box Turtle
<i>Terrapene triunguis</i>	Three-toed Box Turtle
<i>Trachemys scripta</i>	Red-eared Slider
<i>Apalone mutica</i>	Midland Smooth Softshell
<i>Apalone spinifera</i>	Northern Spiny Softshell

County Checklists

County checklists start on the next page.

Adair County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Andrew County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	/	<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>	/	<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Atchison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>	/	<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	/	<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>	/	<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Audrain County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>		<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>	X	<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Barry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma maculatum</i>	X	<i>Necturus louisianensis</i>	/	<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
X	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene triunguis</i>		

Barton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Bates County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Benton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Bollinger County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	/	<i>Plethodon serratus</i>
/	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
/	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>	X	<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>		<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>	/	<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Boone County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
X	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Buchanan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	/	<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Butler County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	/	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Ambystoma talpoideum</i>	X	<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>	/	<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>	X	<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Caldwell County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Callaway County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Camden County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea nerea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Cape Girardeau County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Carroll County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>	X	<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Carter County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	X	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Cass County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Cedar County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>		<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Chariton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>	X	<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Christian County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	X	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Clark County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>	X	<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
X	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	/	<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene triunguis</i>		

Clay County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	X	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene triunguis</i>		

Clinton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Cole County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Cooper County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Crawford County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Dade County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Dallas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Daviess County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

De Kalb County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Dent County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
/	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Douglas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	/	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Dunklin County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	X	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>	/	<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>	/	<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
/	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Franklin County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Gasconade County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
/	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Gentry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Greene County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Grundy County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Harrison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X <i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/ <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X <i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X <i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X <i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X <i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
/ <i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X <i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene triunguis</i>		

Henry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/ <i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X <i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X <i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X <i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X <i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X <i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X <i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
/ <i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X <i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/ <i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Hickory County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Holt County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>	/	<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>	X	<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>	/	<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>	X	<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>	X	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	X	<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Howard County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Howell County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Iron County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Jackson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
/	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	X	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>	/	<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	/	<i>Terrapene triunguis</i>		

Jasper County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>	/	<i>Necturus louisianensis</i>	/	<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Jefferson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Johnson County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	/	<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Knox County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Laclede County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea nerea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Lafayette County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Lawrence County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Lewis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>	/	<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
/	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Lincoln County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Linn County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>	/	<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Livingston County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Macon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Madison County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nereia</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Maries County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nereia</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Marion County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	/	<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
	<i>Pantherophis obsoletus</i>	X	<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene triunguis</i>		

McDonald County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>	X	<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	/	<i>Terrapene triunguis</i>		

Mercer County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	/	<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>	X	<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Miller County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	/	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Mississippi County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
X	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	X	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>	/	<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>		<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>	/	<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Moniteau County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Monroe County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Montgomery County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Morgan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	/	<i>Plethodon serratus</i>
/	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

New Madrid County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
/	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
X	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	/	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>	/	<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>		<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>		<i>Diadophis punctatus</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>	X	<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Newton County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	/	<i>Necturus louisianensis</i>	/	<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>	X	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>		<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Nodaway County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>	X	<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Oregon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	X	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Osage County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Ozark County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	/	<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	/	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Pemiscot County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
/	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>	/	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>	/	<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
/	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>		<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>		<i>Diadophis punctatus</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>	/	<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>	/	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Perry County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	X	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Pettis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Phelps County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
/	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
/	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Pike County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Platte County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
/	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>	/	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>	X	<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	X	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Polk County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Pulaski County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>	/	<i>Plethodon serratus</i>
/	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Putnam County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>		<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Ralls County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>	X	<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Randolph County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>	/	<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Ray County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
X	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	/	<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
X	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Reynolds County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
/	<i>Ambystoma maculatum</i>	X	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Ripley County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	/	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Ambystoma talpoideum</i>	/	<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>	/	<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	/	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Saint Charles County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>	/	<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
/	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	X	<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Saint Clair County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
/	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	/	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	X	<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Saint Francois County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Saint Louis County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
X	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	/	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>	/	<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>	/	<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	/	<i>Terrapene triunguis</i>		

Sainte Genevieve County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylum scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	/	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Saline County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>	/	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>	/	<i>Sistrurus tergeminus</i>
<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Schuyler County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
<i>Coluber constrictor</i>	X	<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
<i>Lampropeltis calligaster</i>	X	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Scotland County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>	/	<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>		<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>	/	<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Scott County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

/	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
X	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>	X	<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
X	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>		<i>Diadophis punctatus</i>		<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>	X	<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Shannon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	/	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
/	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Shelby County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>	X	<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>		<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Stoddard County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	/	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Ambystoma talpoideum</i>	X	<i>Amphiuma tridactylum</i>	/	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>	X	<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>	X	<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
/	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
X	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	/	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	X	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	/	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
/	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Stone County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	/	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
/	<i>Ambystoma maculatum</i>	/	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	/	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	/	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	/	<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	/	<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	/	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Sullivan County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>		<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
/	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Taney County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	X	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	X	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	/	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>	/	<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>	X	<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>	X	<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
X	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Texas County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
X	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>	X	<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	/	<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	/	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	X	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Vernon County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>	/	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>	X	<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
/	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>	/	<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
/	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	/	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	/	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	X	<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Warren County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	X	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	/	<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
/	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
/	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>	X	<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>	X	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
X	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	X	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	X	<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
/	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>	/	<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
/	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	X	<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Washington County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>	/	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	/	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	/	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
/	<i>Crotaphytus collaris</i>	X	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
/	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>	X	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	/	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	/	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>	/	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
/	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	/	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>	/	<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Wayne County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

X	<i>Siren nettingi</i>	X	<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>	/	<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>	X	<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
X	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>	X	<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	X	<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>	/	<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>	X	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
X	<i>Anaxyrus fowleri</i>	/	<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>	/	<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	X	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	/	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	X	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>	X	<i>Nerodia erythrogaster</i>	/	<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>	X	<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>	X	<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>	X	<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
/	<i>Opheodrys aestivus</i>	X	<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>	X	<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
X	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>	X	<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
/	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>	/	<i>Graptemys pseudogeographica</i>	/	<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>	X	<i>Deirochelys reticularia</i>	X	<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
X	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
X	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Webster County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	X	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
X	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>	/	<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>	X	<i>Dryophytes versicolor</i>		<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	/	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	/	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>	X	<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidoclonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	/	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
/	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	/	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	/	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>		<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>	/	<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	/	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Worth County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>		<i>Eurycea longicauda</i>		<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>		<i>Ambystoma tigrinum</i>		<i>Eurycea lucifuga</i>		<i>Plethodon angusticlavius</i>
	<i>Ambystoma annulatum</i>		<i>Notophthalmus viridescens</i>		<i>Eurycea nerea</i>		<i>Plethodon serratus</i>
	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>		<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>	/	<i>Dryophytes chrysoscelis</i>	X	<i>Pseudacris maculata</i>		<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
X	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>		<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	/	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>		<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>		<i>Lithobates palustris</i>		
/	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
	<i>Crotaphytus collaris</i>		<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>		<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>		<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
	<i>Sceloporus consobrinus</i>		<i>Plestiodon fasciatus</i>	X	<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>	X	<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>		<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>		<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>		<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>		<i>Tantilla gracilis</i>	X	<i>Nerodia sipedon</i>		<i>Agkistrodon piscivorus</i>
	<i>Lampropeltis triangulum</i>		<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>		<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>		<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
	<i>Pantherophis emoryi</i>	X	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	/	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>		<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>	/	<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
	<i>Sternotherus odoratus</i>		<i>Graptemys geographica</i>		<i>Terrapene triunguis</i>		

Wright County

X = Recent collection (1987 or after)
/ = Historical collection (before 1987)

	<i>Siren nettingi</i>		<i>Ambystoma texanum</i>	/	<i>Eurycea longicauda</i>	X	<i>Plethodon albagula</i>
	<i>Cryptobranchus alleganiensis</i>	X	<i>Ambystoma tigrinum</i>	X	<i>Eurycea lucifuga</i>	/	<i>Plethodon angusticlavius</i>
X	<i>Ambystoma annulatum</i>	X	<i>Notophthalmus viridescens</i>	X	<i>Eurycea nerea</i>	X	<i>Plethodon serratus</i>
X	<i>Ambystoma maculatum</i>		<i>Necturus louisianensis</i>		<i>Eurycea spelaea</i>		
	<i>Ambystoma opacum</i>		<i>Necturus maculosus</i>	X	<i>Eurycea tynerensis</i>		
	<i>Ambystoma talpoideum</i>		<i>Amphiuma tridactylum</i>		<i>Hemidactylium scutatum</i>		
	<i>Scaphiopus holbrookii</i>		<i>Dryophytes chrysoscelis</i>		<i>Pseudacris maculata</i>	X	<i>Lithobates sphenoccephalus</i>
	<i>Spea bombifrons</i>		<i>Dryophytes cinereus</i>		<i>Lithobates areolatus</i>		<i>Lithobates sylvaticus</i>
/	<i>Anaxyrus americanus</i>		<i>Dryophytes versicolor</i>	/	<i>Lithobates blairi</i>	/	<i>Gastrophryne carolinensis</i>
	<i>Anaxyrus cognatus</i>	X	<i>Pseudacris crucifer</i>	X	<i>Lithobates catesbeianus</i>		<i>Gastrophryne olivacea</i>
/	<i>Anaxyrus fowleri</i>		<i>Pseudacris feriarum</i>	X	<i>Lithobates clamitans</i>		
	<i>Anaxyrus woodhousii</i>		<i>Pseudacris fouquettei</i>	X	<i>Lithobates palustris</i>		
X	<i>Acris blanchardi</i>		<i>Pseudacris illinoensis</i>		<i>Lithobates pipiens</i>		
X	<i>Crotaphytus collaris</i>	/	<i>Aspidoscelis sexlineatus</i>		<i>Plestiodon laticeps</i>	X	<i>Scincella lateralis</i>
	<i>Phrynosoma cornutum</i>	/	<i>Plestiodon anthracinus</i>		<i>Plestiodon obsoletus</i>		<i>Ophisaurus attenuatus</i>
X	<i>Sceloporus consobrinus</i>	/	<i>Plestiodon fasciatus</i>		<i>Plestiodon septentrionalis</i>		
	<i>Cemophora coccinea</i>		<i>Pantherophis ramspotti</i>		<i>Nerodia cyclopion</i>		<i>Tropidozonion lineatum</i>
X	<i>Coluber constrictor</i>		<i>Pantherophis vulpinus</i>		<i>Nerodia erythrogaster</i>		<i>Virginia striatula</i>
X	<i>Lampropeltis calligaster</i>	/	<i>Pituophis catenifer</i>		<i>Nerodia fasciata</i>	X	<i>Virginia valeriae</i>
X	<i>Lampropeltis holbrookii</i>		<i>Sonora episcopa</i>		<i>Nerodia rhombifer</i>	X	<i>Agkistrodon contortrix</i>
	<i>Lampropeltis nigra</i>	/	<i>Tantilla gracilis</i>	/	<i>Nerodia sipedon</i>	X	<i>Agkistrodon piscivorus</i>
X	<i>Lampropeltis triangulum</i>	X	<i>Carphophis vermis</i>		<i>Regina grahamii</i>		<i>Crotalus horridus</i>
X	<i>Masticophis flagellum</i>	X	<i>Diadophis punctatus</i>	X	<i>Storeria dekayi</i>		<i>Sistrurus catenatus</i>
X	<i>Opheodrys aestivus</i>		<i>Farancia abacura</i>	X	<i>Storeria occipitomaculata</i>		<i>Sistrurus miliarius</i>
	<i>Opheodrys vernalis</i>		<i>Heterodon nasicus</i>	X	<i>Thamnophis proximus</i>		<i>Sistrurus tergeminus</i>
/	<i>Pantherophis emoryi</i>	/	<i>Heterodon platirhinos</i>		<i>Thamnophis radix</i>		
X	<i>Pantherophis obsoletus</i>		<i>Clonophis kirtlandii</i>	X	<i>Thamnophis sirtalis</i>		
X	<i>Chelydra serpentina</i>		<i>Chrysemys dorsalis</i>		<i>Graptemys ouachitensis</i>	X	<i>Trachemys scripta</i>
	<i>Macrochelys temminckii</i>		<i>Chrysemys picta</i>		<i>Graptemys pseudogeographica</i>		<i>Apalone mutica</i>
	<i>Kinosternon flavescens</i>		<i>Deirochelys reticularia</i>		<i>Pseudemys concinna</i>		<i>Apalone spinifera</i>
	<i>Kinosternon subrubrum</i>		<i>Emydoidea blandingii</i>		<i>Terrapene ornata</i>		
/	<i>Sternotherus odoratus</i>	X	<i>Graptemys geographica</i>	X	<i>Terrapene triunguis</i>		

Literature Cited

- Briggler, J.T. and T.R. Johnson. 2021. *The Amphibians and Reptiles of Missouri* (3rd ed.). Missouri Department of Conservation, Jefferson City, Missouri.
- Daniel, R.E., and B.S. Edmond. 2026. *Atlas of Missouri Amphibians and Reptiles for 2025*. <<https://atlas.moherp.org/pubs/atlas25.pdf>>
- Daniel, R.E., B.S. Edmond, and J.T. Briggler. 2025. New herpetological distribution records for Missouri in 2025. *Missouri Herpetological Association Newsletter* 38: 8-9.
- Edmond, B.S., and R.E. Daniel. 2026. *Missouri Herpetological Atlas Project*. <<https://atlas.moherp.org/>> Accessed 22 April 2026.
- Johnson, T.R. 1987. *The Amphibians and Reptiles of Missouri*. Missouri Department of Conservation, Jefferson City, Missouri. 368p.
- Missouri Spatial Data Information Service (MSDIS). 2009. *Base County and Boundary Map* <<https://msdis.missouri.edu/>> Accessed 1 December 2009.

Appendix A: Collection Sources

American Museum of Natural History
Anderson, P. 1965. *The Reptiles of Missouri*. University of Missouri Press, Columbia, Missouri. xxiii + 330p.
Arkansas State University
Austin Peay State University *
Bobby Witcher Memorial Collection, Avila College (KU)
Carnegie Museum of Natural History
Chicago Academy of Sciences
Cornell University Museum of Vertebrates
Culver-Stockton College
Dallas Museum of Natural History *
Field Museum of Natural History
H. Carl Gerhardt Audio Recording Collection (Cornell)
Hurter, J. 1911. Herpetology of Missouri. *Transactions of the Saint Louis Academy of Science* 20(5): 59-274.
Illinois Natural History Survey
Milwaukee Public Museum
Missouri Department of Conservation *
Missouri State University
Museum of Comparative Zoology, Harvard University
Museum of Natural Science, Louisiana State University
Museum of Southwest Biology (New Mexico) *
National Museum of Natural History
Natural History Museum of Los Angeles County *
Pittsburg State University
Saint Louis Academy of Sciences
Southeast Missouri State University
Southern Illinois University--Carbondale
Southern Illinois University--Edwardsville
Sternberg Museum of Natural History, Fort Hays State University
Texas Natural History Collection *
University of Arkansas--Fayetteville
University of California--Berkeley Museum of Vertebrate Zoology
University of Central Missouri
University of Florida at Gainesville *
University of Georgia, Museum of Natural History
University of Illinois Natural History Museum
University of Kansas, Museum of Natural History
University of Michigan, Museum of Zoology
University of Missouri--Columbia Dean E. Metter Memorial Herpetology Collection
William Jewell College

* Collection sources marked with an asterisk (*) are included from published accounts only and are presumed to represent only a portion of that collection's Missouri material.

Appendix B: Literature Sources

- Anderson, P. 1942. Amphibians and reptiles of Jackson County, Missouri. *Bulletin of the Chicago Academy of Science* 6(11): 203-220.
- Anderson, P. 1965. *The Reptiles of Missouri*. University of Missouri Press, Columbia, Missouri. xxiii + 330p.
- Blanchard, F.N. 1924. A collection of amphibians and reptiles from southeastern Missouri and Illinois. *Papers of the Michigan Academy of Science, Art, and Letters* 4: 533-541.
- Bodie, J.R. 1998. Contemporary hydrology of a large-river floodplain: Multiple-scale effects on freshwater turtles. Unpublished MA thesis, University of Missouri-Columbia.
- Boyer, D.A., and A.A. Heinze. 1934. An annotated list of the amphibians and reptiles of Jefferson County, Missouri. *Transactions of the Saint Louis Academy of Science* 28(4): 185-200.
- Bufalino, A.P. 2004. Geographic Distribution: *Hemidactylus turcicus turcicus*. *Herpetological Review* 35: 188.
- Burt, C.E. 1932. Records of amphibians from the eastern and central United States (1931). *American Midland Naturalist* 13: 75-85.
- Burt, C.E. 1933. A collection of amphibians and reptiles from southern Missouri. *American Midland Naturalist* 14: 170-173.
- Burt, C.E. 1935. Further records of the ecology and distribution of amphibians and reptiles in the middle west. *American Midland Naturalist* 16(3): 311-366.
- Burt, C.E. and W.L. Hoyle. 1935. Additional records of the reptiles of the central prairie region of the United States. *Transactions of the Kansas Academy of Science* 37: 193-216.
- Conant, R., and C.J. Goin. 1948. A new subspecies of the soft-shelled turtle from the central United States, with comments on the application of the name *Amyda*. *Occasional Papers of the Museum of Zoology* (510): 1-19.
- Easterla, D.A. 1972. Herpetological records for northwest Missouri. *Transactions of the Missouri Academy of Science* 6: 158-160.
- Easterla, D.A. and M.D. Meadows. 1993. The northern prairie skink rediscovered in Missouri, the last recorded occurrence of the smooth green snake for Missouri, plus a Missouri range extension for the northern spring peeper. *Bluebird* 60(3): 105-109.
- Evans, P.D. 1940. Notes on Missouri snakes. *Copeia* 1940: 53-54.
- Henning, W.L. 1938. Amphibians and reptiles of a 2,220-acre tract in central Missouri. *Copeia* 1938(2): 91-92.
- Hubbs, B. 2011. Geographic Distribution: *Lampropeltis triangulum sypila*. *Herpetological Review* 42: 114.
- Hubbs, B. 2012. Geographic Distribution: *Apalone mutica*. *Herpetological Review* 43(3): 441.
- Hurter, J. 1911. Herpetology of Missouri. *Transactions of the Saint Louis Academy of Science* 20(5): 59-274.
- Jones, J.M. 1967. A western extension of the known range of Kirtland's watersnake. *Herpetologica* 23(1): 66-67.
- Karel, J.A. 1974. Cottonmouths in the St. Francois Mountains. *Saint Louis Herpetological Society Newsletter* 1(8): 10.
- McConkey, E.H. 1954. A systematic study of the North American lizards of the genus *Ophisaurus*. *American Midland Naturalist* 51(1): 133-171.
- Myers, C.W. 1957. Amphibians and reptiles of Washington State Park, Washington County, Missouri. *Transactions of the Kansas Academy of Science* 60(3): 288-293.
- Myers, C.W. 1959. Amphibians and reptiles of Montauk State Park and vicinity, Dent County, Missouri. *Transactions of the Kansas Academy of Science* 62(1): 88-90.
- Nicholson, A.E. 2013a. Geographic distribution: USA: Missouri: *Notophthalmus viridescens*. *Herpetological Review* 44(3): 470.
- Nicholson, A.E. 2013b. Geographic distribution: USA: Missouri: *Plestiodon laticeps*. *Herpetological Review* 44(3): 475.
- Nicholson, A.E. 2013c. Geographic distribution: USA: Missouri: *Lampropeltis triangulum*. *Herpetological Review* 44(3): 477.
- Nickerson, M.A., and R. Krager. 1971. Noteworthy records of Missouri reptiles. *Transactions of the Kansas Academy of Science* 74(1): 99-101.
- Nickerson, M.A. and R. Krager. 1972. Additional noteworthy records of Missouri amphibians and reptiles with a possible addition to the herpetofauna. *Transactions of the Kansas Academy of Science* 75(3) 276-277.
- Owens, V. 1949. New snake records and notes, Morgan County, Missouri. *Herpetologica* 5: 49-50.
- Peters, J.A. 1946. Records of certain North American salamanders. *Copeia* 1946(2): 106.
- Peters, J.A. 1946. Reptiles and amphibians of Sam A. Baker State Park, Wayne County, Missouri. *Copeia* 1946(1): 44.
- Phillips, C.A. 1994. Geographic distribution of mitochondrial DNA variants and the historical biogeography of the spotted salamander, *Ambystoma maculatum*. *Evolution* 48(3): 597-607.
- Phillips, John G., Dante B. Fenolio, Sarah L. Emel, and Ronald M. Bonett. 2017. Hydrologic and geologic history of the Ozark Plateau drive phylogenomic patterns in a cave-obligate salamander. *Journal of Biogeography* 44:2463-2474.
- Shaffer, H.B., and M.L. McKnight. 1996. The polytypic species revisited: Genetic differentiation and molecular phylogenetics of the tiger salamander *Ambystoma tigrinum* (Amphibia: Caudata) complex. *Evolution* 50(1): 417-433.
- Tanner, W.W., and R.B. Loomis. 1957. Taxonomic and distributional study of the western subspecies of the milksnake, *Lampropeltis doliata*. *Transactions of the Kansas Academy of Science* 60(1): 12-42.
- Van Wagenen, G. 1917. *Diadophis amabilis* in Missouri. *Copeia* (43): 43-44.
- Watkins, L.C. 1969. A third record of the four-toed salamander, *Hemidactylium scutatum*, in Missouri. *Transactions of the Kansas Academy of Science* 72(2): 264-265.
- Watkins, L.C., and L.L.Hinesley. 1970. Notes on the distribution and abundance of the sonoran skink, *Eumeces obsoletus*, in western Missouri. *Transactions of the Kansas Academy of Science* 73(1): 118-119.
- Williams, K.L. 1978. American Milk Snake. *Milwaukee Public Museum Publications in Biology and Geology* 2: 1-258.